



US00D413037S

**United States Patent** [19]  
**Bellington**

[11] **Patent Number: Des. 413,037**

[45] **Date of Patent: \*\* Aug. 24, 1999**

[54] **CUSHION FOR USE IN HUNTING**

5,720,057 2/1998 Duncan ..... 5/420

[75] Inventor: **Bruce M. Bellington**, Lone Jack, Mo.

*Primary Examiner*—Janice E. Seeger  
*Attorney, Agent, or Firm*—Hovey, Williams, Timmons & Collins

[73] Assignee: **Action Products Company**, Odessa, Mo.

[\*\*] Term: **14 Years**

[57] **CLAIM**

The ornamental design for a cushion for use in hunting, as shown and described.

[21] Appl. No.: **29/084,954**

**DESCRIPTION**

[22] Filed: **Mar. 13, 1998**

[51] **LOC (6) Cl.** ..... **06-09**

[52] **U.S. Cl.** ..... **D6/596; D6/595; D6/601**

[58] **Field of Search** ..... D6/595–597, 601, D6/611, 368; 5/630, 633, 636–638, 640, 652, 652.1, 653, 656, 657, 907, 417, 420; 297/255, 452.11

FIG. 1 is a view showing the cushion for use in hunting folded into a seat configuration;  
FIG. 2 shows the cushion in a flattened mat configuration;  
FIG. 3 is an end elevational view of a cushion in its flattened condition;  
FIG. 4 is an end elevational view of the opposite end of the cushion in its flattened condition;  
FIG. 5 is a top plan view of the cushion in its flattened condition;  
FIG. 6 is a bottom plan view of the cushion in its flattened condition;  
FIG. 7 is a side elevational view of the cushion in its flattened condition; and,  
FIG. 8 is an elevational view of the opposite side of the cushion in its flattened condition.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 308,454	6/1990	Merli	.....	D6/596
D. 376,946	12/1996	Maxim	.....	D6/596
D. 377,879	2/1997	Walden	.....	D6/596
3,489,194	1/1970	Hoover	.....	5/420
4,597,605	7/1986	Gilbert	.....	297/228.1
5,203,041	4/1993	Alonso	.....	5/420

**1 Claim, 2 Drawing Sheets**




Fig. 1.




Fig. 2.




Fig. 3.







Fig. 4.






*Fig. 5.*



*Fig. 6.*



*Fig. 7.*



*Fig. 8.*