



US00D413181S

United States Patent [19] Yamagishi

[11] **Patent Number: Des. 413,181**

[45] **Date of Patent: ** Aug. 24, 1999**

[54] **COMBINED SAFETY RAZOR HANDLE,
SHAVING CREAM CONTAINER AND CAP
THEREFORE**

[76] Inventor: **Masami Yamagishi**, 2-62-104,
Rokkodai, Matsudo-shi, Chiba-ken 270,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/072,850**

[22] Filed: **Jun. 26, 1997**

[30] **Foreign Application Priority Data**

Dec. 27, 1996 [JP] Japan 8-40053

[51] **LOC (6) Cl. 28-03**

[52] **U.S. Cl. D28/48**

[58] **Field of Search D28/44-49; 30/32,
30/34.05, 47, 84, 526, 532, 533, 535, 537-539,
41.5**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 250,664	12/1978	Kruger et al.	D28/46
D. 259,743	6/1981	Hollinger	D28/46
D. 260,944	9/1981	Gray	D28/46
D. 304,773	11/1989	Beuchat	D28/46
D. 311,971	11/1990	Faerber	D28/46
D. 319,709	9/1991	Drahus	D28/46
D. 352,568	11/1994	Meisner et al.	D28/48
D. 363,142	10/1995	Shurtleff	D28/48
D. 370,741	6/1996	Wonderley	D28/48
3,176,391	4/1965	Resnick et al.	30/41
3,985,146	10/1976	Albach	D28/46 X
4,858,314	8/1989	Cunningham	30/537
5,457,887	10/1995	Grange	30/34.05 X

FOREIGN PATENT DOCUMENTS

027322 9/1993 WIPO 28/3

OTHER PUBLICATIONS

Glamour Sep. 1994, p. 204—Schick Silk Effects razor.

Primary Examiner—Ted Shooman

Assistant Examiner—C. Tuttle

Attorney, Agent, or Firm—Stetina Brunda Garred & Brucker

[57] **CLAIM**

The ornamental design for a combined safety razor handle, shaving cream container and cap therefore, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined safety razor handle, shaving cream container and cap therefore showing my new design with the cap portion removed for a complete disclosure of the underlying parts;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a front perspective view thereof;

FIG. 8 is a front perspective view showing the cap element in place;

FIG. 9 is a front elevational view showing the cap element in place;

FIG. 10 is a rear elevational view showing the cap element in place;



FIG. 11 is a top plan view showing the cap element in place;

FIG. 12 is a bottom plan view showing the cap element in place;

FIG. 13 is a left side elevational view showing the cap element in place; and,

FIG. 14 is a right side elevational view showing the cap element in place.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14