



US00D413197S

United States Patent [19]

Faye

[11] Patent Number: Des. 413,197

[45] Date of Patent: ** Aug. 31, 1999

[54] **BOOT TIGHTENER**[75] Inventor: **Terry S. Faye**, 6 Minna Drive,
Stillwater Lake, N.S., Canada, B3Z 1G4[73] Assignee: **Terry S. Faye**, Stillwater Lake[**] Term: **14 Years**[21] Appl. No.: **29/083,162**[22] Filed: **Feb. 6, 1998**[51] LOC (6) Cl. **02-99**[52] U.S. Cl. **D2/978**[58] Field of Search D2/978; D8/394-395;
24/1, 512, 587, 715.3, 715.7, 695 K, 705 K,
715 K[56] **References Cited**

U.S. PATENT DOCUMENTS

318,481 5/1885 Lesse 24/715.3 X
D. 323,576 2/1992 Laks D2/978 X

D. 328,514	8/1992	Mitsui	D2/978
4,761,898	8/1988	Courvoisier et al.	24/68 SK
5,530,997	7/1996	Tessari	24/68 SK
5,715,582	2/1998	Zorzi	24/71 SK
5,745,959	5/1998	Dodge	24/68 SK

Primary Examiner—Dominic Simone[57] **CLAIM**

The ornamental design for a boot tightener, as shown and described.


DESCRIPTION

FIG. 1 is a left, front perspective view of a boot tightener, showing my new design;

FIG. 2 is a right front perspective view thereof;

FIG. 3 is a left front perspective view thereof, in a closed condition; and,

FIG. 4 is a front perspective view of FIG. 3, the boot shown in broken lines for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets

U.S. Patent

Aug. 31, 1999

Sheet 1 of 4

Des. 413,197




Figure 1

U.S. Patent

Aug. 31, 1999

Sheet 2 of 4

Des. 413,197




Figure 2




Figure 3




Figure 4