



US00D413281S

United States Patent [19] Uehara

[11] **Patent Number: Des. 413,281**

[45] **Date of Patent: ** Aug. 31, 1999**

[54] **BELT ADJUSTER**

[75] Inventor: **Ryoichiro Uehara**, Kurobe, Japan

[73] Assignee: **YKK Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/095,301**

[22] Filed: **Oct. 20, 1998**

[30] **Foreign Application Priority Data**

Apr. 21, 1998 [JP] Japan 10-11590

[51] **LOC (6) Cl.** **02-07**

[52] **U.S. Cl.** **D11/218**

[58] **Field of Search** D11/200, 201,
D11/215-220; 24/68 F, 196, 200, 169,
74, 197, 163

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 340,008 10/1993 Anscher D11/218

D. 347,601 6/1994 Anscher D11/218
D. 352,254 11/1994 Prosser D11/218
4,171,555 10/1979 Bakker et al. 24/200

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Hill & Simpson

[57] **CLAIM**

The ornamental design for “belt adjuster” substantially, as shown.

DESCRIPTION

FIG. 1 is a front view of a belt adjuster.
FIG. 2 is a plan view of the belt adjuster of FIG. 1.
FIG. 3 is a right side view of the belt adjuster of FIG. 1.
FIG. 4 is a rear view of the belt adjuster of FIG. 1.
FIG. 5 is a base view of the belt adjuster of FIG. 1.
FIG. 6 is a cross-sectional view taken on line A—A' of FIG. 1; and,
FIG. 7 is an explanatory view showing the belt adjuster in use.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.3




FIG.2




FIG.4




FIG.6




FIG.5




FIG. 7

