



US00D413360S

# United States Patent [19] Smith

[11] Patent Number: Des. 413,360

[45] Date of Patent: \*\* Aug. 31, 1999

[54] CONTROLLER FOR A GAME MACHINE

[76] Inventor: **Tim Smith**, P.O. Box 128, Gold Run, Calif. 95717

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/076,223**

[22] Filed: **Aug. 26, 1997**

### Related U.S. Application Data

[63] Continuation of application No. 29/065,110, Jan. 21, 1997, abandoned.

[51] LOC (6) Cl. .... **21-01**

[52] U.S. Cl. .... **D21/333; D14/117.1; D14/114**

[58] Field of Search ..... **D21/1, 13, 48; 273/148 B; 463/1, 30-47, 49**

4,905,001	2/1990	Penner .
4,909,514	3/1990	Tano .
4,913,573	4/1990	Retter .
4,925,189	5/1990	Braeunig .
5,045,842	9/1991	Galvin .
5,128,671	7/1992	Thomas, Jr. .
5,139,261	8/1992	Openiano .
5,207,426	5/1993	Inoue et al. .
5,267,181	11/1993	George .
5,296,871	3/1994	Paley .
5,329,276	7/1994	Hirabayashi .
5,355,147	10/1994	Lear .
5,379,663	1/1995	Hara .
5,401,025	3/1995	Smith, III et al. .
5,481,263	1/1996	Choi .
5,481,265	1/1996	Russell .
5,488,362	1/1996	Ullman et al. .
5,489,922	2/1996	Zloof .
5,506,605	4/1996	Paley .
5,512,892	4/1996	Corballis et al. .
5,512,919	4/1996	Araki .
5,552,782	9/1996	Horn .

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 265,105	6/1982	Arballo .....	D21/48
D. 283,718	5/1986	Kondo .....	D21/48
D. 292,224	10/1987	Trumbull .....	D21/48
D. 327,882	7/1992	George et al. .	
D. 356,553	3/1995	Retter .	
D. 363,092	10/1995	Hung .	
D. 364,862	12/1995	Hilbrink et al. .	
D. 365,576	12/1995	Butkovich et al. .	
D. 369,145	4/1996	Tsakanikas .	
D. 373,999	9/1996	Staats .	
D. 374,041	9/1996	Oikawa .	
D. 377,023	12/1996	Andrea .....	D14/114 X
3,022,878	2/1962	Seibel et al. .	
3,700,836	10/1972	Rackson .	
4,491,325	1/1985	Bersheim .	
4,517,424	5/1985	Kroczyński .	
4,613,139	9/1986	Robinson, II .	
4,849,732	7/1989	Dolenc .	
4,862,165	8/1989	Gart .	

*Primary Examiner*—Prabhakar G. Deshmukh  
*Attorney, Agent, or Firm*—Berhard Kreten


### [57] CLAIM

The ornamental design for a controller for a game machine, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a controller for a game machine showing my new design.  
FIG. 2 is a top view thereof.  
FIG. 3 is a bottom view thereof.  
FIG. 4 is a left side view thereof.  
FIG. 5 is a right side view thereof.  
FIG. 6 is a front view thereof; and,  
FIG. 7 is a rear view thereof.  
The electrical conduits show undermined length.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2







Fig. 3




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*