



US00D413585S

# United States Patent [19]

Sakuta et al.

[11] Patent Number: Des. 413,585

[45] Date of Patent: \*\* Sep. 7, 1999

[54] **IMAGE READING DEVICE**

[75] Inventors: **Kazuaki Sakuta; Kiyoshi Otani**, both of Kawasaki; **Minoru Sashida**, Chichibu, all of Japan

[73] Assignee: **Canon Denshi Kabushiki Kaisha**, Saitama-ken, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/093,428**

[22] Filed: **Sep. 10, 1998**

[30] **Foreign Application Priority Data**

Mar. 13, 1998 [JP] Japan ..... 10-7153

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/107**

[58] **Field of Search** ..... D14/100, 107, D14/114, 118; D18/36, 37, 39, 54; D16/208, 214, 223, 232; 250/556; 355/64, 65, 75, 81; 235/454, 441

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 316,563 4/1991 Frenkler et al. .... D18/54  
D. 381,328 7/1997 Nguyen et al. .... D14/118

*Primary Examiner*—Freda Nunn

*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image reading device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an image reading device showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;


FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;


FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.


**1 Claim, 6 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*






FIG. 7