



US00D413750S

United States Patent [19]

Nachod, III

[11] Patent Number: **Des. 413,750**

[45] Date of Patent: **** Sep. 14, 1999**

[54] **FLUID FILLED PRESSURE COMPENSATION PAD FOR USE IN A SEAT CUSHION**

5,352,023 10/1994 Jay et al. 5/654
5,378,045 1/1995 Sickman et al. 297/452.41

[75] Inventor: **Julius E. Nachod, III**, Lakewood, Ohio

Primary Examiner—Janice E. Seeger
Attorney, Agent, or Firm—Hudak & Shunk Co., L.P.A.

[73] Assignee: **Invacare Corporation**, Elyria, Ohio

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **29/087,351**

The ornamental design for a fluid filled pressure compensation pad for use in a seat cushion, as shown and described.

[22] Filed: **Apr. 28, 1998**

DESCRIPTION

[51] **LOC (6) Cl.** **06-09**

[52] **U.S. Cl.** **D6/601**

[58] **Field of Search** D6/595–597, 601, D6/604; 5/630, 636–638, 644, 645, 652, 652.1, 653, 654, 655.3, 655.5, 656, 907, 922, 909; 297/452.41

FIG. 1 is a top plan view of a new design for a fluid filled pressure compensation pad for use in a seat cushion;

FIG. 2 is a bottom plan view;

FIG. 3 is a short side elevational (or edge) view, the opposite short side view being a reverse mirror image thereof; and,

FIG. 4 is a long side elevational (or edge) view, the opposite long side view being a reverse mirror image thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

4,768,247 9/1988 Beier 5/640

1 Claim, 2 Drawing Sheets





FIG. - 1





FIG. - 2






FIG. - 3



FIG. - 4