US00D413803S

United States Patent [19]

Albright et al.

[11] **Patent Number: Des. 413,803**

[45] **Date of Patent: ** Sep. 14, 1999**

[54] **BATTERY PACKAGE**

[75] Inventors: **Gerald A. Albright**, Middleton; **Robert C. Gaffney**, Sun Prairie; **Richard L. Pedracine**, Madison; **Ross Mack**, Dane; **Ron Hellenbrand**, Middleton, all of Wis.

[73] Assignee: **Rayovac Corporaion**, Madison, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/094,324**

[22] Filed: **Sep. 30, 1998**

[51] **LOC (6) Cl.** **09-07**

[52] **U.S. Cl.** **D9/423**; D9/425

[58] **Field of Search** D9/420–425, 428, D9/432, 414, 337; 206/327, 703, 704, 705, 461–471, 508; 220/334, 337, 669–675; 229/406

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 222,581	11/1971	Nakakuma et al. .	
D. 295,833	5/1988	Roth .	
D. 307,554	5/1990	McAllister, Sr. .	
D. 330,855	11/1992	Demopoulos et al. .	
D. 339,744	9/1993	Seppala	D9/425
D. 363,879	11/1995	Krupa et al.	D9/423
D. 393,799	4/1998	Pope et al. .	
D. 394,207	5/1998	Waterbury et al. .	
4,696,402	9/1987	Harmon et al. .	
4,848,568	7/1989	Eckelman	206/705
4,896,770	1/1990	Calcerano et al. .	
4,958,731	9/1990	Calcerano	206/705
4,971,197	11/1990	Worley	206/705
4,974,738	12/1990	Kidd et al.	229/406 X

(List continued on next page.)

OTHER PUBLICATIONS

Ultra Fresh, p. 16, Mar. 1995.
"New PDQ Display"—Rayovac Corporation, Madison, Wisconsin—1998.
"Rayovac Maximum® Challenge Dangler"—Rayovac Corporation, Madison, Wisconsin, no date known.
"New Maximum™ Alkaline 16 Pack"—Rayovac Corporation, Madison, Wisconsin—1997.
"America's #1 Heavy Duty Battery"—Rayovac Corporation, Madison, Wisconsin—1998.
U.S. Patent Application No. 29/086,883, filed Apr. 22, 1998.
U.S. Patent Application No. 29/086,884, filed Apr. 22, 1998.

Primary Examiner—Prabhakar Deshmukh

[57] **CLAIM**

The ornamental design for a battery package, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a battery package showing our new design; shown in an open position;
FIG. **2** is a front elevational view thereof;
FIG. **3** is a rear elevational view thereof;
FIG. **4** is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
FIG. **5** is a top plan view; and
FIG. **6** is a bottom plan view.
FIG. **7** is a perspective view of a second embodiment of a battery package; shown in an open position;
FIG. **8** is a front elevational view thereof;
FIG. **9** is a rear elevational view thereof;
FIG. **10** is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
FIG. **11** is a top plan view; and
FIG. **12** is a bottom plan view.
FIG. **13** is a perspective view of a third embodiment of a battery package; shown in an open position;
FIG. **14** is a front elevational view thereof;
FIG. **15** is a rear elevational view thereof;
FIG. **16** is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
FIG. **17** is a top plan view; and,
FIG. **18** is a bottom plan view.
The broken lines showing of the batteries is for illustrative purpose only and forms no part the claimed design.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

5,029,705	7/1991	Schmidt et al.	206/705
5,311,989	5/1994	Ward et al. .	
5,429,233	7/1995	Juaristi .	
5,456,379	10/1995	Krupa et al.	206/508 X
5,462,161	10/1995	Halaburda et al. .	
5,586,657	12/1996	Ward et al. .	
5,593,036	1/1997	Dyble et al. .	
5,670,268	9/1997	Mancusi	206/705 X



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8

FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18