



US00D413859S

# United States Patent [19]

[11] Patent Number: **Des. 413,859**

Ido et al.

[45] Date of Patent: **\*\* Sep. 14, 1999**

[54] STORAGE BATTERY

[75] Inventors: **Isao Ido**, Shizuoka; **Takashi Nakajima**, Aichi, both of Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/090,269**

[22] Filed: **Jul. 6, 1998**

[30] **Foreign Application Priority Data**

Feb. 6, 1998 [JP] Japan ..... 10-3351

[51] LOC (6) Cl. .... **13-02**

[52] U.S. Cl. .... **D13/103; D13/104**

[58] Field of Search ..... D13/103, 104, D13/105; 429/96-100, 163, 176

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 292,913 11/1987 Shaper ..... D13/103
- D. 383,434 9/1997 Hooke et al. .... D13/103

- 4,732,826 3/1988 Hardigg ..... 429/176
- 4,957,829 9/1990 Holl ..... 429/99
- 5,543,244 8/1996 Klink et al. .... 429/163 X
- 5,663,008 9/1997 Shimakawa et al. .... 429/99 X
- 5,798,906 8/1998 Ando et al. .... 429/163

**FOREIGN PATENT DOCUMENTS**

- 947122 2/1996 Japan .
- 987715 8/1997 Japan .

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Saidman Design Law Group

[57] **CLAIM**

The ornamental design for a storage battery, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the top, rear and left side of a storage battery showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a top plan view thereof; and, FIG. 5 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1



*FIG. 2*



*FIG. 3*




FIG. 4




FIG. 5

