



US00D413923S

United States Patent [19]

Brown et al.

[11] Patent Number: Des. 413,923

[45] Date of Patent: ** Sep. 14, 1999

[54] BINDER

[75] Inventors: **Julian Francis Brown**, Bradford on Avon, United Kingdom; **Timothy John Parsey**, Chicago, Ill.; **Timothy Edward McKeown**, Glen Ellyn, Ill.; **Fred Edward Cecala**, Mount Prospect, Ill.

[73] Assignee: **ACCO Brands, Inc.**, Lincolnshire, Ill.

[**] Term: **14 Years**

[21] Appl. No.: **29/093,896**

[22] Filed: **Sep. 21, 1998**

[51] LOC (6) Cl. **19-04**

[52] U.S. Cl. **D19/27; D19/26**

[58] Field of Search D19/26, 27, 32, D19/99, 100; 281/3.1, 15.1, 19.1, 21.1, 27.1-27.3, 29, 33, 44, 45, 51; 402/3, 4, 26, 80 R, 45, 73

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------------|--------|
| D. 033,908 | 1/1901 | Miller | D19/27 |
| D. 312,095 | 11/1990 | Mandel | D19/26 |
| D. 316,872 | 5/1991 | Witschi | D19/27 |
| D. 352,309 | 11/1994 | Gresham et al. | D19/27 |
| D. 366,496 | 1/1996 | Yiu | D19/32 |
| D. 391,987 | 3/1998 | Janbhekar et al. | D19/26 |
| 849,973 | 4/1907 | Buchan . | |
| 871,610 | 11/1907 | Nash . | |
| 1,020,561 | 3/1912 | Krumming . | |
| 1,724,407 | 8/1929 | Lotter . | |
| 1,887,530 | 11/1932 | Trussell . | |
| 1,923,081 | 8/1933 | Elsner | 24/2 |
| 2,512,415 | 6/1950 | Buenger et al. | 129/24 |
| 2,790,651 | 4/1957 | Winstead | 281/29 |
| 3,074,744 | 1/1963 | Pucci et al. | 281/37 |
| 3,091,482 | 5/1963 | Cirigliano | 281/33 |
| 3,132,649 | 5/1964 | Gits | 129/24 |
| 3,201,145 | 8/1965 | Libby | 281/29 |
| 3,315,325 | 4/1967 | Cornelius | 24/66 |
| 3,335,508 | 8/1967 | Hummel | 40/10 |
| 3,453,060 | 7/1969 | Caudle | 402/45 |

| | | | |
|-----------|---------|---------------------|----------|
| 3,572,957 | 3/1971 | Strassberg | 402/75 |
| 3,771,890 | 11/1973 | Notto | 402/21 |
| 3,837,680 | 9/1974 | Cimini | 281/16 |
| 3,968,546 | 7/1976 | Seaborn et al. | 24/67.9 |
| 4,114,240 | 9/1978 | Nackenson | 24/67.11 |
| 4,295,747 | 10/1981 | Errichiello | 402/75 |
| 4,315,642 | 2/1982 | Errichiello | 281/33 |
| 4,569,613 | 2/1986 | Thomas | 402/80 R |

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

| | | |
|-----------|---------|------------------|
| 731 642 | 9/1932 | France . |
| 970 197 | 1/1951 | France . |
| 1 525 272 | 5/1968 | France . |
| 2 666 276 | 3/1992 | France . |
| 377 195 | 6/1923 | Germany . |
| 1 436 113 | 11/1968 | Germany . |
| 44995 | 1/1938 | Netherlands . |
| 1 214 477 | 12/1970 | United Kingdom . |
| 2 030 074 | 4/1980 | United Kingdom . |

OTHER PUBLICATIONS

U.S. Application No. 09/157,367, filed Sep. 21, 1998, entitled "Folder Having Covers With Support Portions" of J. Brown et al.

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—Pennie & Edmonds LLP


[57] CLAIM

The ornamental design for a binder, as shown and described.

DESCRIPTION

FIG. 1 is a top-left perspective view of a binder showing our new design;
FIG. 2 is a right thereof;
FIG. 3 is a left view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a front view thereof; and,
FIG. 8 is a perspective view thereof in an open position.
The portions shown in phantom lines are not part of the claimed invention, but are included to show environment.

1 Claim, 6 Drawing Sheets



Des. 413,923

Page 2

| U.S. PATENT DOCUMENTS | | | |
|-----------------------|---------|---------------------|----------|
| 4,588,321 | 5/1986 | Egly | 402/77 |
| 4,681,472 | 7/1987 | Ruble | 402/3 |
| 5,108,212 | 4/1992 | Lee | 102/75 |
| 5,209,593 | 5/1993 | Ros | 402/77 |
| 5,222,825 | 6/1993 | Wyant | 402/76 |
| 5,273,319 | 12/1993 | Lee | 281/29 |
| 5,351,992 | 10/1994 | Chilson et al. | 281/31 |
| 5,553,959 | 9/1996 | Feldman et al. | 402/79 |
| 5,620,207 | 4/1997 | Podosek et al. | 281/29 |
| 5,672,022 | 9/1997 | Lin | 402/73 |
| 5,695,295 | 12/1997 | Ayele et al. | 402/80 R |

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8

