



US00D414267S

United States Patent [19]
Calandro, Jr.

[11] **Patent Number:** **Des. 414,267**
[45] **Date of Patent:** **** Sep. 21, 1999**

[54] **PACIFIER WITH LOCATE SOUND
DETECTOR AND TONE RESPONDER**

[76] Inventor: **Carmelo W Calandro, Jr.**, 4409
Oakridge Dr., Imperial, Mo. 63052

[**] Term: **14 Years**

[21] Appl. No.: **29/094,381**

[22] Filed: **Oct. 1, 1998**

[51] **LOC (6) Cl.** **24-04**

[52] **U.S. Cl.** **D24/194**

[58] **Field of Search** D24/194, 193;
606/234, 235, 236

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 380,269	6/1997	Mendes		D24/194
D. 391,641	3/1998	Fields et al.		D24/194
4,554,919	11/1985	Hubert		606/234
4,856,519	8/1989	Teves		606/234

Primary Examiner—Stella Reid


[57] **CLAIM**

The ornamental design for a pacifier with locate sound detector and tone responder, as shown.

DESCRIPTION

FIG. 1 is a left side elevational view of the pacifier with locate sound detector and tone responder of the present invention;
FIG. 2 is a right side elevational view of the pacifier with locate sound detector and tone responder of FIG. 1;
FIG. 3 is a front elevational view of the pacifier with locate sound detector and tone responder of FIG. 1;
FIG. 4 is a back elevational view of the pacifier with locate sound detector and tone responder of FIG. 1;
FIG. 5 is a top plan view of the pacifier with locate sound detector and tone responder of FIG. 1; and,
FIG. 6 is a bottom plan view of the pacifier with locate sound detector and tone responder of FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6