



US00D414392S

United States Patent [19]

Karata et al.

[11] Patent Number: **Des. 414,392**

[45] Date of Patent: **** Sep. 28, 1999**

[54] **POINT-SEALER**

[75] Inventors: **Kazuhiro Karata; Ichiro Maruyama,**
both of Toyonaka, Japan

[73] Assignee: **Fuji Impulse Co., Ltd.,** Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/091,888**

[22] Filed: **Aug. 7, 1998**

[30] **Foreign Application Priority Data**

Apr. 6, 1998 [JP] Japan 10-9894

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/30**

[58] **Field of Search** D8/14.1, 30; 219/227,
219/228, 243

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 365,737 1/1996 Chou et al. D8/30

D. 369,728 5/1996 Liang D8/30
5,352,323 10/1994 Chi 219/243
5,854,466 12/1998 Chou 219/227

Primary Examiner—Terry A. Wallace
Attorney, Agent, or Firm—Muramatsu & Associates

[57] **CLAIM**

The ornamental design for a point-sealer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a point sealer of our new design.
FIG. 2 is another perspective view thereof.
FIG. 3 is a left side elevational view thereof.
FIG. 4 is a right side elevational view thereof.
FIG. 5 is a front elevational view thereof.
FIG. 6 is a rear elevational view thereof.
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

