



US00D414400S

United States Patent [19] Williams

[11] **Patent Number: Des. 414,400**

[45] **Date of Patent: ** Sep. 28, 1999**

[54] **CORNER JACK CONNECTOR**

[75] Inventor: **Troy D. Williams**, Knoxville, Tenn.

[73] Assignee: **Metal Truss, L.L.C.**, Knoxville, Tenn.

[**] Term: **14 Years**

[21] Appl. No.: **29/095,767**

[22] Filed: **Oct. 29, 1998**

[51] **LOC (6) Cl. 08-08**

[52] **U.S. Cl. D8/382; D8/354**

[58] **Field of Search D8/354, 382; 403/403, 403/205, 246, 170, 172; 52/656.9; D6/509, 491, 510; 248/220.1**

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,666,508	1/1954	Nardulli	52/656.9
2,785,035	3/1957	Hammer	403/403 X
4,236,847	12/1980	Yasuda	403/402
5,457,927	10/1995	Pellock	.

OTHER PUBLICATIONS

Metal Truss Notes—vol. 2, Issue 1—Metal Truss, LLC—Fall 1998.

FA/FAP/HFA/FJA FSA Foundation Anchors—Simpson Strong-Tie Co., Inc.—Catalog C-98, pp. 23, 51.

Sweets Catalog, Simpson Strong Tie Connectors, strap tie located at bottom of page, Jan. 1993.

Primary Examiner—Holly Baynham

Attorney, Agent, or Firm—Pitts & Brittan, P.C.

[57] **CLAIM**

The ornamental design of a corner jack connector, as shown and described.

DESCRIPTION

FIG. 1 is a top view thereof, a bottom view being a mirror image thereof;


FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right side view thereof, a left side view being a mirror image thereof; and,

FIG. 5 is an enlarged perspective view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5