



US00D414449S

United States Patent [19]
Schuster

[11] **Patent Number:** **Des. 414,449**
[45] **Date of Patent:** **** Sep. 28, 1999**

[54] **TIRE TREAD**
[75] **Inventor:** **Daniel Edward Schuster**, North
Royalton, Ohio
[73] **Assignee:** **The Goodyear Tire & Rubber
Company**, Akron, Ohio
[**] **Term:** **14 Years**
[21] **Appl. No.:** **29/093,132**
[22] **Filed:** **Sep. 3, 1998**
[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/146**
[58] **Field of Search** D12/138–151;
152/209.1, 209.8, 209.9, 209.11, 209.16,
209.18, 209.28, 900, 901, 902, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS			
D. 261,494	10/1981	Suzuki et al.	D12/147
D. 274,805	7/1984	Dalmas	D12/146
D. 284,179	6/1986	Kemp	D12/147
D. 292,081	9/1987	Kuroda	D12/146
D. 298,115	10/1988	Kuroda	D12/146
D. 302,539	8/1989	Maiocchi	D12/143
D. 309,592	7/1990	Shomura	D12/147
D. 318,831	8/1991	Guermandi et al.	D12/147
D. 326,071	5/1992	Enoki et al.	D12/146
D. 336,267	6/1993	Bonvini et al.	D12/143
D. 347,818	6/1994	Loser et al.	D12/147
D. 350,101	8/1994	De Barsy	D12/147
D. 380,181	6/1997	Maruyama et al.	D12/146
D. 382,840	8/1997	Corner	D12/147
D. 384,608	10/1997	Schuster	D12/146
D. 384,623	10/1997	Schuster	D12/148
D. 388,040	12/1997	De Barsy	D12/147
D. 388,371	12/1997	Miyazaki	D12/146
4,200,134	4/1980	Takigawa et al.	152/209 R
4,345,632	8/1982	Takigawa et al.	152/209 R

4,484,610	11/1984	Wallet et al.	152/209 R
4,982,775	1/1991	Matsumoto	152/209 B
5,160,385	11/1992	Goto et al.	152/209 R
5,309,965	5/1994	Williams	152/209 R
5,314,551	5/1994	Williams	152/209 R
5,343,914	9/1994	Wako	152/209 R
5,394,915	3/1995	Takada	152/209 R
5,417,269	5/1995	Kinoshita et al.	152/209 R
5,535,798	7/1996	Nakamura	152/209 R

FOREIGN PATENT DOCUMENTS

834722	4/1988	Japan .
895411	9/1991	Japan .
834721	4/1992	Japan .

OTHER PUBLICATIONS


Bridgestone M726 Tire, 1997 Tread Design Guide, p. 129.
Tread Design Guide 1995, p. 124–Bridgestone M711.
Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski

[57] **CLAIM**
The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4