



US00D414585S

United States Patent [19] Ho

[11] **Patent Number: Des. 414,585**

[45] **Date of Patent: ** Sep. 28, 1999**

[54] **SAFETY HELMET**

[76] Inventor: **Chang-Hsien Ho**, 10F, No. 27, Lane 40, Yu-Ming First Rd., Peitou Dist., Taipei, Taiwan

[**] Term: **14 Years**

[21] Appl. No.: **29/088,396**

[22] Filed: **May 22, 1998**

[51] **LOC (6) Cl.** **29-02**

[52] **U.S. Cl.** **D29/102**

[58] **Field of Search** D29/102-107,
D29/122; 2/411, 412, 414, 417, 418, 421,
423, 425

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 348,545 7/1994 Egger D29/102
- D. 352,803 11/1994 Sasaki et al. D29/102
- D. 362,084 9/1995 Egger D29/102
- D. 372,559 8/1996 Murakami D27/102

- D. 373,857 9/1996 Fujita D29/102
- D. 388,551 12/1997 Lu D29/102
- D. 389,280 1/1998 Ho D29/102

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Dougherty & Troxell



[57] **CLAIM**

The ornamental design for safety helmet, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a safety helmet showing our showing my new design;
FIG. 2 is a rear side perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

1 Claim, 8 Drawing Sheets






Fig.1




Fig. 2




Fig.3




Fig.4




Fig.5




Fig.6




Fig. 7




Fig. 8