



US00D414725S

United States Patent [19] Kemp, Jr.

[11] **Patent Number: Des. 414,725**
[45] **Date of Patent: ** Oct. 5, 1999**

[54] **TIRE TREAD**
[75] **Inventor: Preston Butler Kemp, Jr., Greenville, S.C.**
[73] **Assignee: Michelin Recherche et Technique S.A., Switzerland**
[**] **Term: 14 Years**
[21] **Appl. No.: 29/094,827**
[22] **Filed: Oct. 12, 1998**
[51] **LOC (6) Cl. 12-15**
[52] **U.S. Cl. D12/143**
[58] **Field of Search D12/136-152; 152/209.1, 209.8, 209.9, 209.11, 209.12, 209.13, 209.16, 209.18, 209.19, 209.21, 209.28, 900, 901, 902, 903**

D. 380,995 7/1997 Grosskopf D12/143
D. 390,170 2/1998 Stone et al. D12/141
D. 390,510 2/1998 Stone et al. D12/143

OTHER PUBLICATIONS

Michelin XRV Tire, 1997 Tread Design Guide, p. 109.
Cordovan Power King Radial Trailer R11 Tire, 1997 Tread Design Guide, p. 133.
Tread Design Guide, 1997, p. 129, Bridgestone R194F.
Tread Design Guide, 1997, p. 139, Firestone T-559.
Tread Design Guide, 1997, p. 145, Hercules HSF.
Tread Design Guide, 1997, p. 153, Michelin XZE.
Tread Design Guide, 1997, p. 237, Hercules Trailway Trailer.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Alan A. Csontos; Robert R. Reed

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 170,055 7/1953 Hawkinson D12/143
D. 175,996 11/1955 Amspoker D12/143
D. 251,661 4/1979 Grosch et al. D12/143
D. 294,812 3/1988 Takeuchi D12/146
D. 294,821 3/1988 Takeuchi D12/146
D. 296,199 6/1988 Tansei D12/145
D. 314,363 2/1991 Adam D12/147
D. 316,239 4/1991 Tsuda et al. D12/145
D. 316,692 5/1991 Fukumoto D12/146
D. 317,737 6/1991 Enoki et al. D12/143
D. 335,112 4/1993 Lurois D12/147
D. 370,439 6/1996 Feider et al. D12/141
D. 371,756 7/1996 Kishi et al. D12/141


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats uniformly throughout the outer surface and shoulder circumference of the tire tread, the opposite side perspective view being identical thereto; and, FIG. 2 is an enlarged fragmentary front elevation view of the tire tread thereof. The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2