



US00D414801S

United States Patent [19]

Karten et al.

[11] Patent Number: **Des. 414,801**

[45] Date of Patent: **** Oct. 5, 1999**

[54] **CURVED CONFIGURATION BINDER**

[75] Inventors: **Stuart Karten, Venice; Paul Kirley, Los Angeles; Dennis Schroeder, Hermosa Beach, all of Calif.**

[73] Assignee: **Avery Dennison Corporation, Pasadena, Calif.**

[**] Term: **14 Years**

[21] Appl. No.: **29/094,682**

[22] Filed: **Oct. 7, 1998**

[51] **LOC (6) Cl. 19-04**

[52] **U.S. Cl. D19/27; D19/26**

[58] **Field of Search D19/26, 27, 32, D19/99, 100; 281/3.1, 15.1, 19.1, 21.1, 27.1-27.3, 29, 31, 33, 44, 45, 51; 402/3, 4, 80 R, 26; 190/900, 901**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 158,869 6/1950 Kent D19/26
- D. 312,278 11/1990 Moor D19/27
- D. 346,398 4/1994 Flanagan D19/26

- D. 352,309 11/1994 Gresham et al. D19/27
- 352,358 11/1886 Scherer 190/900 X
- D. 353,836 12/1994 Carvelli et al. D19/27
- D. 404,761 1/1999 Tarpenning et al. D19/26
- 738,098 9/1903 Chichester 281/31
- 781,948 2/1905 Hegele 281/19.1

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—Oppenheimer Wolff & Donnelly LLP


[57] **CLAIM**

The ornamental design for a curved configuration binder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our design; FIG. 2 is a front view of our design; FIG. 3 is a rear view of our design; FIG. 4 is a right side view of our design; FIG. 5 is a left side view of our design; FIG. 6 is a top view of our design; and, FIG. 7 is a bottom view of our design. The ring binding structure depicted by means of broken lines in FIGS. 1, 6 and 7 has been shown for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6




FIG. 7