



US00D414835S

United States Patent [19]

Otteman et al.

[11] Patent Number: Des. 414,835
[45] Date of Patent: ** Oct. 5, 1999

[54] CLAMP JAW FOR TELESCOPIC SIGHT MOUNT

[75] Inventors: Rodney H. Otteman, Aloha; Victoria J. Peters, Forest Grove, both of Oreg.

[73] Assignee: Leupold & Stevens, Inc., Beaverton, Oreg.

[**] Term: 14 Years

[21] Appl. No.: 29/095,341

[22] Filed: Oct. 21, 1998

[51] LOC (6) Cl. 22-01

[52] U.S. Cl. D22/108; D22/100; D22/199; D22/109; D22/110

[58] Field of Search D22/100, 108, D22/109, 110; D8/382; 33/245, 246, 247, 261, 265; 42/100, 101, 103

[56] References Cited

U.S. PATENT DOCUMENTS

D. 317,810	6/1991	Rightnour		D22/108
2,717,447	9/1955	Leupold		42/101
4,092,793	6/1978	Ricks		42/101
4,299,044	11/1981	Johannsen		42/101
4,317,304	3/1982	Bass		42/101
4,934,085	6/1990	Lough		42/101
5,396,725	3/1995	Talbot		42/101

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Weingart
Attorney, Agent, or Firm—Stoel Rives LLP

[57] CLAIM

We claim the ornamental design for a clamp jaw for telescopic sight mount, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a clamp jaw for a telescopic sight mount showing detail of an interior side, the clamp jaw suitable for mounting a telescopic sight to a rifle, handgun, or similar device;

FIG. 2 is a top plan view thereof;

FIG. 3 is a exterior side elevation view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an interior side elevation view thereof;

FIG. 6 is a front end elevation view thereof, the back end elevation view (not shown) being identical;

FIG. 7 is a perspective view of an alternative embodiment of the clamp jaw of FIG. 1;

FIG. 8 is a top plan view thereof;

FIG. 9 is an exterior side elevation view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is an interior side elevation view thereof;

FIG. 12 is a front end elevation view thereof, the back end elevation view (not shown) being identical; and,

FIG. 13 is a perspective view showing the clamp jaws of FIGS. 1 and 7 in use (interior detail of the clamp jaws of FIG. 1 not being visible in this view) with their environment of use shown in broken lines.

The broken lines showing of a telescopic sight with mounting rack in FIG. 13 are illustrative of the environmental structure only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

