US00D415078S

United States Patent [19]

Buresh

[11] **Patent Number: Des. 415,078**

[45] **Date of Patent: ** Oct. 12, 1999**

[54] **TIRE TREAD**

[75] Inventor: **Patrick Jon Buresh**, Piedmont, S.C.

[73] Assignee: **Michelin Recherche et Technique S.A.**, Switzerland

[**] Term: **14 Years**

[21] Appl. No.: **29/093,042**

[22] Filed: **Sep. 2, 1998**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/141**

[58] **Field of Search** D12/136–152; 152/209.1, 209.8, 209.9, 209.11, 209.12, 209.13, 209.16, 209.18, 209.19, 209.21, 209.28, 900, 901, 902, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 397,975	9/1998	Himuro	D12/147
D. 403,625	1/1999	Ratliff, Jr.	D12/147

OTHER PUBLICATIONS

Tread Design Guide, 1992, p. 41, BFGoodrich Comp T/A XR.

Tread Design Guide, 1992, p. 42, Goodyear Eagle VR.

Tread Design Guide, 1997, p. 36, Goodyear Eagle GS–D.

Tread Design Guide, 1997, p. 38, Hankook Ventus Plus 405.

Tread Design Guide, 1997, p. 61, Pirelli P6000.

Tread Design Guide, 1997, p. 61, Pirelli P Zero System.

Tread Design Guide, 1997, p. 74, Telstar Turbostar HR.

Tread Design Guide, 1997, p. 77, VISA VK–50G.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—Alan A. Csontos; Robert R. Reed

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats uniformly throughout the outer surface and shoulder circumference of the tire tread, the opposite side perspective view being identical thereto; and,

FIG. **2** is a enlarged fragmentary front elevation view of the tire tread thereof.

The broken line disclosure of the sidewall and inner bead of the tire is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets





Fig. 1



Fig. 2