



US00D415516S

# United States Patent [19] Hall et al.

[11] Patent Number: **Des. 415,516**

[45] Date of Patent: **\*\* Oct. 19, 1999**

[54] **PROTECTIVE BROWBAR**  
[75] Inventors: **James Hall**, Lincoln, R.I.; **Raoul O. Desy**, Sturbridge; **Muthuswamy Ethirajan**, Southbridge, both of Mass.  
[73] Assignee: **Cabot Safety Intermediate Corporation**, Southbridge, Mass.  
[\*\*] Term: **14 Years**

D. 397,354 8/1998 Kuo ..... D16/314  
D. 401,607 11/1998 Miniutti ..... D16/314  
D. 405,816 2/1999 Crestin-Billet ..... D16/315  
D. 407,427 3/1999 Matera ..... D16/315  
5,321,444 6/1994 Lin ..... 351/41  
5,457,505 10/1995 Canavan et al. .... 351/120  
5,528,320 6/1996 Specht et al. .... 351/106  
5,760,867 6/1998 Pernicks et al. .... 351/120

*Primary Examiner*—Raphael Barkai  
*Attorney, Agent, or Firm*—Cantor Colburn LLP

[21] Appl. No.: **29/089,249**  
[22] Filed: **Jun. 11, 1998**  
[51] **LOC (6) Cl.** ..... **16-06**  
[52] **U.S. Cl.** ..... **D16/330; D16/314**  
[58] **Field of Search** ..... **D16/300–330, D16/335, 334; D29/109, 110; 351/41, 44, 51, 52, 158, 103, 106, 111, 120; 2/428–430, 432, 447–449**

### [57] CLAIM


The ornamental design for protective browbar, as shown and described

### DESCRIPTION

FIG. 1 is a perspective view of a protective browbar showing our new design;  
FIG. 2 is a left side view of the invention, the right side being a mirror image thereof;  
FIG. 3 is a top view of the invention;  
FIG. 4 is a front view of the invention;  
FIG. 5 is a bottom view of the invention; and,  
FIG. 6 is a rear view of the invention.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 324,394 3/1992 Jannard ..... D16/330  
D. 347,017 5/1994 Bolle ..... D16/314

**1 Claim, 2 Drawing Sheets**






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

