



US00D415526S

United States Patent [19]

[11] Patent Number: Des. 415,526

Ho

[45] Date of Patent: ** *Oct. 19, 1999

[54] ERASABLE DOOR KNOB TAG WITH MARKER-PEN SLOT

[76] Inventor: Peter Pei-Tak Ho, 3723 N. Cicero Ave., Chicago, Ill. 60641

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: 14 Years

[21] Appl. No.: 29/079,582

[22] Filed: Nov. 14, 1997

[51] LOC (6) Cl. 19-06

[52] U.S. Cl. D19/52; D19/83; D19/36; D20/42

[58] Field of Search D19/35, 36, 52, D19/65, 75, 78, 81-85, 86, 90, 91, 99, 100; D6/512, 515, 518, 519; D20/40, 42, 43; 281/31, 45; 40/663; 211/73; 248/316.5; 206/39.6, 425

[56] References Cited

U.S. PATENT DOCUMENTS

D. 254,226	2/1980	Morse	D7/45
D. 270,273	8/1983	Kosmicki	D19/52
D. 280,646	9/1985	Howard et al.	D20/40
D. 316,877	5/1991	Mitchell	D20/43
D. 329,468	9/1992	Hatt	D20/42
D. 332,970	2/1993	Myers	D19/78
D. 349,516	8/1994	Svee	D20/42
D. 354,519	1/1995	Wagner	D19/85
D. 390,882	2/1998	Ho	D19/90 X
D. 394,882	6/1998	Ho	D19/90 X
632,155	8/1899	Smith	248/316.5
844,948	2/1907	Lynch	281/31
1,212,349	1/1917	Hardy	206/39.6
2,528,695	11/1950	King	281/45
2,758,723	8/1956	Morris et al.	211/73
4,216,598	8/1980	Newbert	40/331
4,545,521	10/1985	Hiersteiner	40/331
4,862,617	9/1989	Cooke, Jr.	40/663
5,137,453	8/1992	Hudson	434/408
5,480,037	1/1996	Pope	211/50
5,554,034	9/1996	Zand	434/263

OTHER PUBLICATIONS

Catalog p. 28 from TradeNet Line, 1997.
Catalog p. 47 from The California Line, date unknown.
Catalog p. 27 from Arthur Blank & Co, date unknown.

Primary Examiner—Martie Thompson

[57] CLAIM

The ornamental design for an erasable door knob tag with marker-pen slot, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of an erasable door knob tag with marker-pen slot showing my new design;
FIG. 2 is a side elevation view, the other side being a mirror image thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is an enlarged fragmentary cross-sectional view of the perforation taken along lines 4-4 of FIG. 1;
FIG. 5 is a top plan view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is an enlarged fragmentary cross-sectional view taken along lines 7-7 of FIG. 6;
FIG. 8 is an enlarged fragmentary cross-sectional view taken along lines 8-8 of FIG. 6;
FIG. 9 is a perspective view of FIG. 1 thereof;
FIG. 10 is a front elevation view of the erasable door knob with a marker-pen placed in the slot;
FIG. 11 is a side elevation view with respect to FIG. 10;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a perspective view thereof;
FIG. 15 is a second embodiment of FIG. 1, it being understood that the undisclosed top, left-side, right-side and bottom views the same as in FIG. 2, 3, 5 and 6; and,
FIG. 16 is a perspective view of the second embodiment thereof.

The dashed lines in FIGS. 1, 6, 9, 15 and 16 have been employed to depict scored fold lines. The broken lines showing the outlines of a marker-pen on FIG. 10, 11, 12 and 13 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 5




FIG. 4



FIG. 1




FIG. 2



FIG. 3




FIG. 6




FIG. 9




FIG. 7



FIG. 8






FIG. 13

FIG. 10




FIG. 11





FIG. 12

FIG. 14




FIG. 15




FIG. 16

