



US00D415685S

**United States Patent** [19]  
**Braun**

[11] **Patent Number: Des. 415,685**

[45] **Date of Patent: \*\* Oct. 26, 1999**

[54] **FLAIR BOTTLE**

[75] Inventor: **Morris Braun**, Chicago, Ill.

[73] Assignee: **W. Braun Company**, Chicago, Ill.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/087,051**

[22] Filed: **Apr. 23, 1998**

[51] **LOC (6) Cl.** ..... **09-01**

[52] **U.S. Cl.** ..... **D9/503**

[58] **Field of Search** ..... D9/500, 502-504,  
D9/538, 435, 440, 446, 447; 215/382-384

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 112,950	1/1939	Rubin	.....	D9/502
D. 247,098	1/1978	Ferrante	.....	D9/504
D. 306,701	3/1990	Beck	.....	D9/446
D. 318,801	8/1991	Kipperman et al.	.....	D9/403

*Primary Examiner*—Dominic Simone

*Attorney, Agent, or Firm*—Michael G. Berkman

[57] **CLAIM**

The ornamental design for a flair bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view showing the flair bottle of my new design, including the configuration of the cap section; FIG. 2 is a front elevational view thereof; FIG. 3 is a top view thereof; FIG. 4 is bottom view thereof; FIG. 5 is a side elevational view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a perspective view, similar to FIG. 1, but illustrating a second embodiment of the invention; FIG. 8 is a front elevational view thereof; FIG. 9 is a bottom view thereof; FIG. 10 is a top view thereof; FIG. 11 is a side elevational view thereof; and, FIG. 12 is a rear elevational view thereof.

**1 Claim, 4 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG.5




FIG.6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG.11




FIG.12

