



US00D415705S

United States Patent [19]

Beckstrom et al.

[11] Patent Number: Des. 415,705
[45] Date of Patent: ** Oct. 26, 1999

[54] POSTAL SECURITY DEVICE

[75] Inventors: David W. Beckstrom, Fairfield;
Charles W. Klein, Stratford; Paul W.
Porter, Southbury; Patrick T.
Thrailkill, New Haven, all of Conn.

[73] Assignee: Pitney Bowes Inc., Stamford, Conn.

[**] Term: 14 Years

[21] Appl. No.: 29/092,731

[22] Filed: Aug. 26, 1998

[51] LOC (6) Cl. 10-05

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106,
D10/116, 121; 340/521, 540, 545, 555,
556, 571, 572, 573, 600, 628, 629, 630

[56] References Cited

U.S. PATENT DOCUMENTS

D. 388,722	1/1998	Wilson	D10/106
D. 399,156	10/1998	Thiband	D10/106
D. 404,670	1/1999	Jackson et al.	D10/106

Primary Examiner—Marcus A. Jackson

Attorney, Agent, or Firm—Charles R. Malandra, Jr.; Melvin
J. Scolnick

[57] CLAIM

The ornamental design for a postal security device, as shown
and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a
postal security device in accordance with a first embodiment
of the new design;

FIG. 2 is a top plan view in accordance with the first
embodiment thereof;

FIG. 3 is a right side view in accordance with the first
embodiment thereof and the left side view is a mirror image
of the right side view;

FIG. 4 is a front elevational view in accordance with the first
embodiment view thereof;

FIG. 5 is a rear elevational view in accordance wit the first
embodiment thereof;

FIG. 6 is a bottom view in accordance with the first
embodiment thereof; and

FIG. 7 is a top, front and right side perspective view of a
postal security device in accordance with a second embodi-
ment of the new design;

FIG. 8 is a top plan view in accordance with the second
embodiment thereof;

FIG. 9 is a right side view in accordance with the second
embodiment thereof and the left side view is a mirror image
of the right side view except for the arrangement of which
a LED is visible in the right side view;

FIG. 10 is a front elevational view in accordance with the
second embodiment thereof;

FIG. 11 is a rear elevational view in accordance with the
second embodiment thereof;

FIG. 12 is a bottom view in accordance with the second
embodiment thereof;

FIG. 13 is a top, front and right side perspective view of a
postal security device in accordance with a third embodi-
ment of the new design;

FIG. 14 is a top plan view in accordance with the third
embodiment thereof;

FIG. 15 is a right side view in accordance with the third
embodiment thereof and the left side view is a mirror image
of the right side view;

FIG. 16 is a front elevational view in accordance with the
third embodiment thereof;

FIG. 17 is a rear elevational view in accordance with the
third embodiment thereof;

FIG. 18 is a bottom view in accordance with the third
embodiment thereof; and

FIG. 19 is a top, front and right side perspective view of a
postal security device in accordance with a fourth embodi-
ment of the new design;

FIG. 20 is a top plan view in accordance with the fourth
embodiment thereof;


FIG. 21 is a right side view in accordance with the fourth
embodiment thereof and the left side view is a mirror image
of the right side view;

FIG. 22 is a front elevational view in accordance with the
fourth embodiment thereof; and,

FIG. 23 is a rear elevational view in accordance with the
fourth embodiment thereof; and,

FIG. 24 is a bottom view in accordance with the fourth
embodiment thereof.

1 Claim, 20 Drawing Sheets






FIG. 1

FIG. 2






FIG. 3




FIG. 4





FIG. 5

FIG. 6






FIG. 7

FIG. 8






FIG. 9




FIG. 10





FIG. 11

FIG. 12






FIG. 13

FIG. 14






FIG. 15




FIG. 16




FIG. 17

FIG. 18






FIG.19

FIG. 20






FIG. 21




FIG. 22




FIG. 23

FIG. 24

