



US00D415730S

United States Patent [19]
Jacobsmeyer

[11] **Patent Number:** **Des. 415,730**
[45] **Date of Patent:** **** Oct. 26, 1999**

[54] **PACKAGE RESTRAINT FOR VEHICLE**
[76] **Inventor:** **Donald W. Jacobsmeyer**, 1117
Timberland Dr., St. Louis, Mo. 63122
[**] **Term:** **14 Years**
[21] **Appl. No.:** **29/069,882**
[22] **Filed:** **May 19, 1997**
[51] **LOC (6) Cl.** **12-16**
[52] **U.S. Cl.** **D12/416**
[58] **Field of Search** D12/400, 415,
D12/416, 424-426.1; D6/356, 335, 368,
500; D19/86, 90-92; 108/44; 220/529,
555; 211/132.1, 11, 43, 175, 73; 224/275,
277, 279, 929; 312/235.5, 235.8, 50, 240

[56] **References Cited**

U.S. PATENT DOCUMENTS			
D. 295,476	5/1988	Halpain	D6/506
D. 329,148	9/1992	Hwang et al.	D6/368
D. 391,086	2/1998	Catchings et al.	D6/356
2,822,968	2/1958	Jackson .	
2,912,151	11/1959	Crabs .	
2,934,391	4/1960	Bohnett	312/240
3,841,477	10/1974	Stark et al. .	
3,885,668	5/1975	McClain	312/240
3,934,771	1/1976	Eberhard .	
4,254,872	3/1981	Garrett .	
4,535,896	8/1985	Evenson .	
4,813,751	3/1989	Fenn .	
4,824,171	4/1989	Hollingworth	297/351
4,832,241	5/1989	Radcliffe	224/275
5,060,581	10/1991	Malinski	108/44
5,092,507	3/1992	Szablak	224/275
5,190,344	3/1993	Anderson et al.	297/17



5,209,386	5/1993	Allison	224/275
5,492,068	2/1996	McKee	108/44
5,505,139	4/1996	Storholm et al.	108/44
5,542,589	8/1996	McKee	224/275

Primary Examiner—Doris V. Coles
Assistant Examiner—Stacia Sinuik
Attorney, Agent, or Firm—Polster, Lieder, Woodruff & Lucchesi, LC

[57] **CLAIM**
The ornamental design for package restraint for vehicle, as shown and described.

DESCRIPTION
FIG. 1 is a side view of the package restraint for vehicle, showing my new design, shown in its position of use;
FIG. 2 is an enlarged perspective view of the package restraint for vehicle;
FIG. 3 is an enlarged perspective view thereof with the straps shown unfastened;
FIG. 4 is a front elevational view of FIG. 3
FIG. 5 is a rear elevational view of FIG. 3;
FIG. 6 is a side elevational view of FIG. 3;
FIG. 7 is a top plan view of FIG. 3;
FIG. 8 is a side elevational view of the package restraint for vehicle shown in an unfolded position;
FIG. 9 is a perspective view of a second embodiment of the package restraint for vehicle; and,
FIG. 10 is a perspective view of FIG. 9 shown with the straps fastened.
In the drawings, the broken line showing of the environment is for illustrative purposes only, and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 4




FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10