



US00D415849S

United States Patent [19] Goldberg

[11] **Patent Number: Des. 415,849**

[45] **Date of Patent: ** Oct. 26, 1999**

[54] **BRAKING FORCE INDICATOR**

[76] Inventor: **Jeffrey Goldberg**, 655 Pleasant Valley Way, West Orage, N.J. 07052

[**] Term: **14 Years**

[21] Appl. No.: **29/047,758**

[22] Filed: **Dec. 12, 1995**

[51] **LOC (6) Cl.** **26-06**

[52] **U.S. Cl.** **D26/28; D10/115**

[58] **Field of Search** D10/114, 115;
D26/28-36; 362/61, 74, 80, 80.1, 83, 83.2

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 279,714	7/1985	Taylor	D26/28
D. 288,968	3/1987	Tomkin et al.	D26/28
D. 293,479	12/1987	Hughet	D26/28
D. 304,504	11/1989	Chen	D26/28
D. 316,230	4/1991	Munoz	D26/28

D. 332,234	1/1993	Yuen	D26/28
D. 332,838	1/1993	Zu	D26/28

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Harold H. Dutton, Jr.; W. Charles L. Jamison; Diane F. Liebman


[57] **CLAIM**

The ornamental design for a braking force indicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a braking force indicator showing my new design, with the wires broken away to indicate indeterminate length;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a right end view thereof; and,
FIG. 7 is a left end view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7