



US00D415975S

**United States Patent** [19]  
**Imahori**

[11] **Patent Number: Des. 415,975**

[45] **Date of Patent: \*\* Nov. 2, 1999**

[54] **AUDIBLE SIGNAL FOR AN ALARM UNIT**

[75] **Inventor: Yoshio Imahori, Shizuoka, Japan**

[73] **Assignee: Star Micronics Co., Ltd., Shizuoka, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 29/088,074**

[22] **Filed: Jan. 21, 1998**

[30] **Foreign Application Priority Data**

Aug. 6, 1997 [JP] Japan ..... 9-64182

[51] **LOC (6) Cl. .... 10-05**

[52] **U.S. Cl. .... D10/116**

[58] **Field of Search** ..... D10/104, 106,  
D10/116, 121; D13/152, 156; 340/384.1,  
384.3, 384.7, 388.1, 390.1, 391.1, 392.2,  
392.4

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 339,544 9/1993 Sone ..... D10/116

D. 350,705 9/1994 Sone ..... D10/116  
D. 371,312 7/1996 Suzuki ..... D10/116  
D. 389,421 1/1998 Tushimi et al. .... D10/116

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Pollock, Vande Sande & Amernick

[57] **CLAIM**

The ornamental design for an audible signal for an alarm unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an audible signal for an alarm unit showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a right side elevational view thereof (of which a left side elevational view would be the a mirror image);  
FIG. 7 is a cross-sectional view thereof taken on line 7—7 of FIG. 2, an internal mechanism of which is not shown; and,  
FIG. 8 is a cross-sectional view thereof taken on line 8—8 of FIG. 2, an internal mechanism of which is not shown.

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8

