



US00D416026S

# United States Patent [19]

Ohsumi et al.

[11] Patent Number: **Des. 416,026**

[45] Date of Patent: **\*\* Nov. 2, 1999**

[54] TILLER

[75] Inventors: **Masayuki Ohsumi; Shuhei Imai; Yuya Katoh**, all of Wako, Japan

[73] Assignee: **Honda Giken Kogyo Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/084,268**

[22] Filed: **Feb. 27, 1998**

### [30] Foreign Application Priority Data

Aug. 27, 1997 [JP] Japan ..... 9-65901

[51] LOC (6) Cl. .... **15-03**

[52] U.S. Cl. .... **D15/12**

[58] Field of Search ..... D8/6-8; D15/10-12;  
172/42, 43, 260

### [56] References Cited

#### U.S. PATENT DOCUMENTS

- D. 249,518 9/1978 Cognata et al. .... D15/12
- D. 280,824 10/1985 Mikado ..... D15/12

- D. 354,496 1/1995 Katoh et al. .... D15/12
- 4,640,366 2/1987 Saito ..... 172/42
- 5,573,069 11/1996 Shipley ..... 172/42

### OTHER PUBLICATIONS

1978 Medalists from Murray Catalog. P. 14, tiller.  
"Country Living", Apr. 1987. P. 72, Snapper front tine tiller.

*Primary Examiner*—Sandra L. Morris  
*Attorney, Agent, or Firm*—Lyon & Lyon LLP

### [57] CLAIM

The ornamental design for a tiller, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevational view of a tiller showing our new design;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a right side elevational view thereof;  
 FIG. 6 is a left side elevational view thereof;  
 FIG. 7 is a front perspective view thereof; and,  
 FIG. 8 is a rear perspective view thereof.

**1 Claim, 8 Drawing Sheets**







Fig. 1



*Fig. 2*



*Fig. 3*



*Fig. 4*



Fig. 5



*Fig. 6*



*Fig. 7*





*Fig. 8*