



US00D416026S

United States Patent [19]

Ohsumi et al.

[11] **Patent Number: Des. 416,026**

[45] **Date of Patent: ** Nov. 2, 1999**

[54] **TILLER**

[75] Inventors: **Masayuki Ohsumi; Shuhei Imai; Yuya Katoh**, all of Wako, Japan

[73] Assignee: **Honda Giken Kogyo Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/084,268**

[22] Filed: **Feb. 27, 1998**

[30] Foreign Application Priority Data

Aug. 27, 1997 [JP] Japan 9-65901

[51] **LOC (6) Cl. 15-03**

[52] **U.S. Cl. D15/12**

[58] **Field of Search D8/6-8; D15/10-12; 172/42, 43, 260**

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 249,518 9/1978 Cognata et al. D15/12
- D. 280,824 10/1985 Mikado D15/12

- D. 354,496 1/1995 Katoh et al. D15/12
- 4,640,366 2/1987 Saito 172/42
- 5,573,069 11/1996 Shipley 172/42

OTHER PUBLICATIONS

1978 Medalists from Murray Catalog. P. 14, tiller. "Country Living", Apr. 1987. P. 72, Snapper front tine tiller.

Primary Examiner—Sandra L. Morris
Attorney, Agent, or Firm—Lyon & Lyon LLP

[57] CLAIM

The ornamental design for a tiller, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a tiller showing our new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a front perspective view thereof; and,
 FIG. 8 is a rear perspective view thereof.

1 Claim, 8 Drawing Sheets






Fig. 1



Fig. 2



Fig. 3




Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8