



US00D416038S

# United States Patent [19] Kalbach

[11] **Patent Number: Des. 416,038**

[45] **Date of Patent: \*\* Nov. 2, 1999**

[54] **EYEGLASS RETAINER**

[76] **Inventor: Edward Van Lee Kalbach, 575 W. 3200 South, Nibley, Utah 84321**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 29/079,804**

[22] **Filed: Nov. 19, 1997**

[51] **LOC (6) Cl. .... 16-06**

[52] **U.S. Cl. .... D16/339**

[58] **Field of Search ..... D16/300, 309, D16/311, 312, 330, 339; D2/865, 891; 351/41, 44, 156, 157, 158; 2/13, 426**

### [56] **References Cited**

#### U.S. PATENT DOCUMENTS

D. 291,894	9/1987	Weisenfeld .....	D16/339
D. 309,619	7/1990	Kalbach .	
D. 328,908	8/1992	Kalbach .	
D. 354,759	1/1995	Wolff .....	D16/339
D. 354,760	1/1995	Wolff .....	D16/339
1,819,738	8/1931	Daniels .	
2,481,946	9/1949	Pendleton .	
2,539,922	1/1951	Nyberg .	
2,660,092	11/1953	Bloom .	
2,704,961	3/1955	Weil .	
3,397,026	8/1968	Spina .	
3,450,467	6/1969	Phillips .	
3,502,396	3/1970	Greenberg .	
3,874,776	4/1975	Seron .	
3,879,804	4/1975	Lawrence .	
4,133,604	1/1979	Fuller .	
4,541,696	9/1985	Winger et al. .	
4,657,364	4/1987	Murrell .	
4,696,556	9/1987	Perry, III .	
4,976,531	12/1990	Kahaney .	
5,002,381	3/1991	Murrell .	
5,151,778	9/1992	Conley .	
5,157,425	10/1992	Liu .	

5,369,452	11/1994	Williams .....	351/157
5,575,042	11/1996	Kalbach .....	351/157
5,654,787	8/1997	Barison .....	351/157

#### FOREIGN PATENT DOCUMENTS

0058772	12/1981	European Pat. Off. .
502283	11/1954	Italy .

#### OTHER PUBLICATIONS

Frames Catalog Harley-Davidson Eyewear p. 25, Jun. 1996.

*Primary Examiner*—Raphael Barkai  
*Attorney, Agent, or Firm*—Trask, Britt & Rossa

### [57] **CLAIM**


The ornamental design for an eyeglass retainer, as shown and described.


### **DESCRIPTION**

FIG. 1 is a perspective view of an eyeglass retainer according to the invention;  
 FIG. 2 is a front view of the eyeglass retainer of FIG. 1;  
 FIG. 3 is a right side view of the eyeglass retainer of FIG. 1, the left side view being a mirror image thereof;  
 FIG. 4 is a top plan view of the eyeglass retainer of FIG. 1;  
 FIG. 5 is a bottom plan view of the eyeglass retainer of FIG. 1;  
 FIG. 6 is a perspective view of a modified embodiment of an eyeglass retainer according to the invention;  
 FIG. 7 is a front view of the eyeglass retainer of FIG. 6;  
 FIG. 8 is a right side view of the eyeglass retainer of FIG. 6; the left side view being a mirror image thereof;  
 FIG. 9 is a top plan view of the eyeglass retainer of FIG. 6; and,  
 FIG. 10 is a bottom plan view of the eyeglass retainer of FIG. 6.


The broken lines shown in FIGS. 1 and 6 are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**







**Fig. 1**




*Fig. 2*




*Fig. 3*




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 7**



**Fig. 8**



**Fig. 9**



**Fig. 10**