



US00D416216S

United States Patent [19] Zurita

[11] Patent Number: **Des. 416,216**

[45] Date of Patent: **** Nov. 9, 1999**

[54] **TIRE TREAD**

[75] Inventor: **Louis Ernest Zurita**, Fairlawn, Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **29/096,506**

[22] Filed: **Nov. 13, 1998**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/143**

[58] **Field of Search** D12/136-152;
152/209.1, 209.8, 209.9, 209.11, 209.12,
209.13, 209.16, 209.18, 209.19, 209.21,
209.28, 900, 901, 902, 903

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,472	9/1984	Hisatomi et al.	D12/138
D. 278,219	4/1985	Gray	D12/147
D. 279,089	6/1985	Wright	D12/147
D. 283,700	5/1986	Schoonhoven	D12/147
D. 283,703	5/1986	Schoonhoven	D12/147
D. 287,351	12/1986	Cain	D12/147
D. 288,548	3/1987	Kojima et al.	D12/147
D. 295,733	5/1988	Adam et al.	D12/143
D. 303,945	10/1989	Tsuda et al.	D12/147
D. 312,233	11/1990	Molnar et al.	D12/147
D. 313,383	1/1991	Enoki	D12/142
D. 326,252	5/1992	Slagh	D12/147
D. 326,837	6/1992	Hulterstrum	D12/204
D. 334,365	3/1993	Enterline	D12/147
D. 345,951	4/1994	Guspodin et al.	D12/147
D. 346,347	4/1994	Himuro et al.	D12/147
D. 348,639	7/1994	Matsushita et al.	D12/147
D. 349,081	7/1994	Downey et al.	D12/147
D. 349,476	8/1994	Killian	D12/146
D. 350,091	8/1994	Shibata	D12/147
D. 354,025	1/1995	McKisson	D12/146

D. 364,133	11/1995	Baus et al.	D12/143
D. 368,244	3/1996	Killian	D12/147
D. 387,310	12/1997	Scheuren et al.	D12/143
D. 391,208	2/1998	Guspodin et al.	D12/147
D. 394,029	5/1998	Gillard et al.	D12/141
4,383,568	5/1983	Pieper	152/209 R
4,481,991	11/1984	Pieper	152/209 R
4,788,651	11/1988	Parker et al.	364/574
5,000,239	3/1991	Brayer et al.	152/209 R
5,097,882	3/1992	Adam et al.	152/209.18

OTHER PUBLICATIONS

Cooper Discoverer Radial STE Tire, 1997 Tread Design Guide, p. 20, Jan. 1997.

Goodyear Unisteel G291 Tire, 1997 Tread Design Guide, p. 98, Jan. 1997.

1998 Tread Design Guide, p. 49, Michelin XGT V (VR Rated), Michelin XGT V4 (VR Rated), Michelin TRX (HR, VR & ZR Rated), Michelin XGT H4 (HR Rated).

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—T P Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary perspective view.

In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4