



US00D416275S

United States Patent [19] Ooya

[11] Patent Number: **Des. 416,275**

[45] Date of Patent: **** Nov. 9, 1999**

[54] CAMERA

[75] Inventor: **Tetsurou Ooya**, Osaka Sayama, Japan

[73] Assignee: **Minolta Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/096,050**

[22] Filed: **Nov. 4, 1998**

[51] LOC (6) Cl. **16-01**

[52] U.S. Cl. **D16/209; D16/218**

[58] Field of Search **D16/200-214, D16/208, 209, 216-218; 396/379, 535-543**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 327,900	7/1992	Tanaka et al.	D16/217
D. 347,443	5/1994	Tago	D16/209
D. 395,327	6/1998	Io et al.	D16/209
D. 395,441	6/1998	Lee et al.	D16/217
4,887,109	12/1989	Fujita et al.	396/397

OTHER PUBLICATIONS

Camera Sogo Catalog, vol. 106 p. 122, 1993.

Weathermatic 35DL Brochure, Nov. 1995.

Primary Examiner—Adir Aronovich

Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, LLP

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a camera showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof; and,

FIG. 8 is an enlarged fragmentary section of the hand grip of the camera shown in FIG. 1.

The broken line showing of the circular indentations on the hand grip of the camera, the various graphical representations shown in FIGS. 3 and 5, and the LCD indicator shown in FIG. 4, is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8