



US00D416462S

United States Patent [19]
Pringle et al.

[11] **Patent Number: Des. 416,462**

[45] **Date of Patent: ** Nov. 16, 1999**

[54] **CLAW HAMMER**

[75] Inventors: **David L. Pringle**, Town & Country, Mo.; **Joseph T. Gierer**, Glen Carbon, Ill.; **Kiyo Hoshino**, Chesterfield, Mo.

[73] Assignee: **Emerson Electric Co.**, St. Louis, Mo.

[**] Term: **14 Years**

[21] Appl. No.: **29/086,018**

[22] Filed: **Apr. 2, 1998**

[51] **LOC (6) Cl.** **08-02**

[52] **U.S. Cl.** **D8/75**

[58] **Field of Search** D8/75, 76, 77, D8/78, 79, 80; 81/19, 20, 21, 22, 23, 24

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 209,653	12/1967	Vogel	D8/75
D. 237,582	11/1975	Mostyn	D8/75
D. 262,186	12/1981	Royce	D8/79
D. 275,261	8/1984	Crowder	D8/75
D. 291,402	8/1987	Square	D8/75
D. 322,021	12/1991	Hsu	D8/75
4,154,273	5/1979	Pollak	81/20
4,512,381	4/1985	Alvarez	81/20
5,408,902	4/1995	Burnett	.	

FOREIGN PATENT DOCUMENTS

1137125	5/1957	France	.
1273449	7/1968	Germany	.

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Arnold, White & Durkee

[57] **CLAIM**

The ornamental design for a claw hammer, as shown and described.

DESCRIPTION

FIG. 1 is a side view illustrating the claw hammer of the present invention;

FIG. 2 is a side view illustrating the side of the claw hammer of the present invention opposite the side illustrated in FIG. 1;

FIG. 3 is a perspective view of the claw hammer having a left-handed handle portion in accordance with a first embodiment of the present invention;

FIG. 4 is a back view of the claw hammer having a left-handed handle portion in accordance with the first embodiment of the present invention;

FIG. 5 is front view of the claw hammer having a left-handed handle portion in accordance with the first embodiment of the present invention;

FIG. 6 is a top view of the claw hammer having a left-handed handle portion in accordance with the first embodiment of the present invention;

FIG. 7 is a bottom view of the claw hammer having a left-handed handle portion in accordance with the first embodiment of the present invention;

FIG. 8 is a perspective view of the claw hammer having a right-handed handle portion in accordance with a second embodiment of the present invention;


FIG. 9 is a back view of the claw hammer having a right-handed handle portion in accordance with the second embodiment of the present invention;

FIG. 10 is a front view of the claw hammer having a right-handed handle portion in accordance with the second embodiment of the present invention;

FIG. 11 is a top view of the claw hammer having a right-handed handle portion in accordance with the second embodiment of the present invention; and,

FIG. 12 is a bottom view of the claw hammer having a right-handed handle portion in accordance with the second embodiment of the present invention.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12