



US00D416573S

**United States Patent** [19]  
**Hmelar et al.**

[11] **Patent Number: Des. 416,573**  
[45] **Date of Patent: \*\* Nov. 16, 1999**

[54] **FLUID CONTAINER**

[75] Inventors: **Susan M. Hmelar**, Berlin, Germany;  
**Stephen G. Brown**, Vancouver, Wash.;  
**David M. Thorpe**, Portland, Oreg.; **Jan Hippen**, Portland, Oreg.; **Glen E. Schmidt**, Corvallis, Oreg.

360219061	11/1985	Japan	.....	347/86
362261451	11/1987	Japan	.....	347/86
402000514	1/1990	Japan	.....	347/87
402243351	9/1990	Japan	.....	347/86
403184873	8/1991	Japan	.....	347/86
403248848	11/1991	Japan	.....	347/86
406218941	8/1994	Japan	.....	347/86

[73] Assignee: **Hewlett-Packard Company**, Palo Alto, Calif.

*Primary Examiner*—Cathy Anne MacCormac  
*Attorney, Agent, or Firm*—Raymond A. Jencki

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/055,382**

We claim the ornamental design for a fluid container, as shown and described.

[22] Filed: **Jun. 5, 1996**

**DESCRIPTION**

[51] **LOC (6) Cl.** ..... **18-02**

[52] **U.S. Cl.** ..... **D18/56; 347/86**

[58] **Field of Search** ..... **D18/56, 43; 347/86-87**

FIG. 1 is a perspective view taken from the bottom, front and left side of a fluid container showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a rear elevational view thereof; FIG. 8 is a left side elevational view of a second embodiment of FIG. 1, the front, rear and right side are identical to FIGS. 2, 4, and 7. FIG. 9 is a bottom plan view of FIG. 8, the top being identical to FIG. 5; FIG. 10 is a left side elevational view of a third embodiment of FIG. 1, the front, rear and right side are identical to FIGS. 2, 4, and 7; and, FIG. 11 is a bottom plan view of FIG. 10, the top being identical to FIG. 5. Broken line material of FIGS. 1, 2, 6, 7, 9, and 11 is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**


**U.S. PATENT DOCUMENTS**


D. 368,275	3/1996	Sakurai et al.	.....	D18/56
D. 375,756	11/1996	Murray et al.	.....	D18/56
D. 378,660	4/1997	Ota et al.	.....	D18/56
4,131,899	12/1978	Christou	.....	347/87
4,551,734	11/1985	Causley et al.	.....	347/86
4,568,954	2/1986	Rosback	.....	347/86
4,959,667	9/1990	Kaplinsky	.....	347/87
5,216,452	6/1993	Suzuki	.....	347/86
5,477,963	12/1995	Mochizuki et al.	.....	347/86
5,541,631	7/1996	Hasimoto	.....	347/86
5,583,545	12/1996	Pawlowski, Jr. et al.	.....	347/86
5,629,728	5/1997	Karita et al.	.....	347/87
5,646,664	7/1997	Pawlowski, Jr.	.....	347/86

**FOREIGN PATENT DOCUMENTS**

619429	8/1991	Australia	.....	347/86
560266	9/1993	European Pat. Off.	.....	347/87

**1 Claim, 3 Drawing Sheets**





**FIG.1**




FIG. 5




FIG. 3




FIG. 2




FIG. 4




FIG. 7




FIG. 6




FIG. 8




FIG. 10




FIG. 9




FIG. 11