



US00D416635S

# United States Patent [19] Krepinsky

[11] **Patent Number: Des. 416,635**

[45] **Date of Patent: \*\* Nov. 16, 1999**

[54] **CERAMIC TILE WITH SCREW HEADS**

[75] Inventor: **Marcella B. Krepinsky**, Dallas, Tex.

[73] Assignee: **Ceramic Tile Trends, Inc.**, Dallas, Tex.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/087,550**

[22] Filed: **May 4, 1998**

[51] **LOC (6) Cl. .... 25-01**

[52] **U.S. Cl. .... D25/163**

[58] **Field of Search .... 52/596, 282.2, 52/284, 415; 428/904.4, 325; D25/138, 157, 158, 160, 163**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 193,984	11/1962	Gory	.....	D25/163
D. 194,675	2/1963	Vogel	.....	D25/163
D. 208,856	10/1967	Hauer	.....	D25/157
D. 234,504	3/1975	Groff	.....	D25/158
D. 257,640	12/1980	Hughey et al.	.....	D25/160
1,946,690	2/1934	Haines	.....	52/415
2,061,263	11/1936	Wells	.....	52/596
5,283,996	2/1994	Myers	.....	52/596

**OTHER PUBLICATIONS**

“\*M\* Ceramic Tile Trends” brochure, tile with buttons as shown on p. 4, Jun. 1997.

Drawing (with specific attention to (a) B32, which has buttons inserted in grout joint between tiles; (b) B21, which show a molding with a hole to insert buttons; and (c) B06, which shows the molding with the buttons inserted), 1989.

*Primary Examiner*—Doris Clark  
*Attorney, Agent, or Firm*—Sidley & Austin

[57] **CLAIM**

The ornamental design for a ceramic tile with screw heads, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a ceramic tile with screw heads embodying my design;


FIG. 2 is a top view thereof;


FIG. 3 is a front view thereof, the back view, right side view and left side view being identical to the front view though reflecting the screw head slot orientation as shown in FIGS. 1 and 2;


FIG. 4 is a top view of a ceramic tile with screw heads embodying an second alternative embodiment of my design; and,

FIG. 5 is a front view of FIG. 4, the back view, right side view and left side view being identical to the front view though reflecting the screw head slot orientation as shown in FIGS. 4.


**1 Claim, 3 Drawing Sheets**







*FIG. 2*



*FIG. 3*




FIG. 4




FIG. 5