



US00D416837S

United States Patent [19] Moore

[11] **Patent Number: Des. 416,837**

[45] **Date of Patent: ** Nov. 23, 1999**

[54] **TIRE TREAD**

[75] Inventor: **Ralston Horace Moore**, Fontain Inn, S.C.

[73] Assignee: **Michelin Recherche et Technique S.A.**, Switzerland

[**] Term: **14 Years**

[21] Appl. No.: **29/098,492**

[22] Filed: **Dec. 31, 1998**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** D12/136-152;
152/209.1, 209.8, 209.9, 209.11, 209.13,
209.16, 209.18, 209.28, 900, 901, 902,
903

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|------------|
| D. 347,818 | 6/1994 | Loser et al. | | D12/147 |
| D. 365,063 | 12/1995 | Lurois et al. | | D12/147 |
| D. 379,606 | 6/1997 | Lurois et al. | | D12/147 |
| D. 379,607 | 6/1997 | Lurois et al. | | D12/147 |
| D. 380,181 | 6/1997 | Maruyama et al. | | D12/146 |
| D. 389,105 | 1/1998 | Lurois et al. | | D12/147 |
| D. 397,970 | 9/1998 | Le et al. | | D12/147 |
| D. 399,461 | 10/1998 | Lurois et al. | | D12/147 |
| D. 402,939 | 12/1998 | Lurois et al. | | D12/147 |
| 4,854,358 | 8/1989 | Takeuchi | | 152/209.19 |
| 5,373,881 | 12/1994 | Enoki | | 152/209.18 |

OTHER PUBLICATIONS

Tread Design Guide, 1992, p. 98, Cordovan wild Trac Radial XRT.

Tread Design Guide, 1992, p. 122, Multi-Mile Wild Country Radial XRT.

Tread Design Guide, 1992, p. 129, Sigma Stampede Radial XRT.

Tread Design Guide, 1997, p. 137, Dunlop SP231A.

Tread Design Guide, 1997, p. 131, Continental HT63.

Tread Design Guide, 1997, p. 154, Michelin XDA2.

Michelin Tire Corporation Dealer Catalog p. 38, XDHT Specification.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—Alan A. Csontos; Robert R. Reed

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the tread pattern repeats uniformly throughout the outer surface and shoulder circumference of the tire tread, the opposite side perspective view being identical thereto;

FIG. 2 is an enlarged fragmentary front elevation view of the tire tread thereof; and,

FIG. 3 is an enlarged fragmentary front elevation view of another embodiment of the tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire tread, and that the appearance of the shoulders and sidewalls thereof are identical to that shown and described in FIG. 1.

The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3