



US00D416878S

# United States Patent [19]

Yeh et al.

[11] Patent Number: Des. 416,878

[45] Date of Patent: \*\* Nov. 23, 1999

[54] **COMPUTER BASE**

[75] Inventors: **Calvin Yeh; Shu-Yuan Chen**, both of Taipei, Taiwan

[73] Assignee: **Ever Case Technology, Inc.**, Taiwan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/084,619**

[22] Filed: **Mar. 6, 1998**

[30] **Foreign Application Priority Data**

Nov. 27, 1997 [TW] Taiwan ..... 86310187

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/114**

[58] **Field of Search** ..... D14/100, 114; D6/449, 491, 445, 396, 512; 248/125.1, 127, 133, 177.1, 178.1, 179.1, 183.1, 346.01, 346.02, 188.1, 188.2, 917-24; 200/5 R, 5 A, 6 R, 6 A; 361/679-85; D13/184, 199

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 297,365	8/1988	Judd	.....	D14/114
D. 330,021	10/1992	Kline et al.	.....	D14/114
D. 338,882	8/1993	Reiter	.....	D14/114
D. 349,696	8/1994	Hames	.....	D14/114
D. 361,561	8/1995	Baudot	.....	D14/114
D. 362,245	9/1995	Moffatt	.....	D14/114
D. 388,415	12/1997	Seabert	.....	D14/114

*Primary Examiner*—M. H. Tung

*Attorney, Agent, or Firm*—Nikaido, Marmelstein, Murray & Oram LLP

[57] **CLAIM**

The ornamental design for a computer base, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view showing a preferred embodiment of the computer base, including a left base part and a right base part, of our new design on a reduced scale;

FIG. 2 is a top view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 3 is a bottom view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 4 is a left side view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 5 is a right side view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 6 is a front elevational view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 7 is a rear view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 8 is a top view of a preferred embodiment of the left base part of FIG. 1; FIG. 9 is a bottom view of the preferred embodiment of the left base part of FIG. 8; FIG. 10 is a left side view of the preferred embodiment of the left base part of FIG. 8; FIG. 11 is a right side view of the preferred embodiment of the left base part of FIG. 8; FIG. 12 is a front elevational view of the preferred embodiment of the left base part of FIG. 8; FIG. 13 is a rear view of the preferred embodiment of the left base part of FIG. 8; FIG. 14 is a top view of a preferred embodiment of the right base part of FIG. 1; FIG. 15 is a bottom view of the preferred embodiment of the right base part of FIG. 14; FIG. 16 is a left side view of the preferred embodiment of the right base part of FIG. 14; FIG. 17 is a right side view of the preferred embodiment of the right base part of FIG. 14; FIG. 18 is a front elevational view of the preferred embodiment of the right base of FIG. 14; and, FIG. 19 is a rear view of the preferred embodiment of the right base part of FIG. 14.

The left base part and the right base part shown in FIGS. 8-13 and FIGS. 14-19, respectively, are shown separately for clarity of illustration.

**1 Claim, 19 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15






Fig. 16




Fig. 17




Fig. 18




Fig. 19