



US00D416878S

United States Patent [19]

Yeh et al.

[11] Patent Number: Des. 416,878

[45] Date of Patent: ** Nov. 23, 1999

[54] COMPUTER BASE

[75] Inventors: Calvin Yeh; Shu-Yuan Chen, both of Taipei, Taiwan

[73] Assignee: Ever Case Technology, Inc., Taiwan

[**] Term: 14 Years

[21] Appl. No.: 29/084,619

[22] Filed: Mar. 6, 1998

[30] Foreign Application Priority Data

Nov. 27, 1997 [TW] Taiwan 86310187

[51] LOC (6) Cl. 14-02

[52] U.S. Cl. D14/114

[58] Field of Search D14/100, 114; D6/449, 491, 445, 396, 512; 248/125.1, 127, 133, 177.1, 178.1, 179.1, 183.1, 346.01, 346.02, 188.1, 188.2, 917-24; 200/5 R, 5 A, 6 R, 6 A; 361/679-85; D13/184, 199

[56] References Cited

U.S. PATENT DOCUMENTS

D. 297,365	8/1988	Judd	D14/114
D. 330,021	10/1992	Kline et al.	D14/114
D. 338,882	8/1993	Reiter	D14/114
D. 349,696	8/1994	Hames	D14/114
D. 361,561	8/1995	Baudot	D14/114
D. 362,245	9/1995	Moffatt	D14/114
D. 388,415	12/1997	Seabert	D14/114

Primary Examiner—M. H. Tung

Attorney, Agent, or Firm—Nikaido, Marmelstein, Murray & Oram LLP

[57] CLAIM

The ornamental design for a computer base, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view showing a preferred embodiment of the computer base, including a left base part and a right base part, of our new design on a reduced scale;

FIG. 2 is a top view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 3 is a bottom view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 4 is a left side view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 5 is a right side view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 6 is a front elevational view of the preferred embodiment of FIG. 1 wherein the left base is disposed in the right base part; FIG. 7 is a rear view of the preferred embodiment of FIG. 1 wherein the left base part is disposed in the right base part; FIG. 8 is a top view of a preferred embodiment of the left base part of FIG. 1; FIG. 9 is a bottom view of the preferred embodiment of the left base part of FIG. 8; FIG. 10 is a left side view of the preferred embodiment of the left base part of FIG. 8; FIG. 11 is a right side view of the preferred embodiment of the left base part of FIG. 8; FIG. 12 is a front elevational view of the preferred embodiment of the left base part of FIG. 8; FIG. 13 is a rear view of the preferred embodiment of the left base part of FIG. 8; FIG. 14 is a top view of a preferred embodiment of the right base part of FIG. 1; FIG. 15 is a bottom view of the preferred embodiment of the right base part of FIG. 14; FIG. 16 is a left side view of the preferred embodiment of the right base part of FIG. 14; FIG. 17 is a right side view of the preferred embodiment of the right base part of FIG. 14; FIG. 18 is a front elevational view of the preferred embodiment of the right base of FIG. 14; and, FIG. 19 is a rear view of the preferred embodiment of the right base part of FIG. 14.

The left base part and the right base part shown in FIGS. 8-13 and FIGS. 14-19, respectively, are shown separately for clarity of illustration.

1 Claim, 19 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19