



US00D417036S

United States Patent [19]
Hamowy

[11] **Patent Number: Des. 417,036**

[45] **Date of Patent: ** Nov. 23, 1999**

[54] **COMBINED KNEE AND ELBOW PAD**

5,594,954 1/1997 Huang 2/24

[75] Inventor: **Lewis Hamowy**, Brooklyn, N.Y.

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Levisohn, Lerner, Berger & Langsam

[73] Assignee: **Cycle Express, Inc.**, New York, N.Y.

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/082,429**

The design for a combined knee and elbow pad, as shown and described.

[22] Filed: **Jan. 22, 1998**

DESCRIPTION

[51] **LOC (6) Cl.** **29-02**

FIG. 1 is a top, front and right side perspective view of a combined knee and elbow pad, the portion shown in broken lines is for environmental purposes only and forms no part of the claimed design;

[52] **U.S. Cl.** **D29/121**

[58] **Field of Search** D29/213, 120,
D29/121, 122; D2/901, 860; 2/455, 22,
23, 24, 16; 36/2 R; 602/3, 41, 27; D24/189,
190

FIG. 2 is a front elevation view with attaching straps extended;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a rear elevation view thereof.

The crosshatch shading shown in all views is understood to repeat throughout the indicated area and the broken lines on the pad represent conventional stitching.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 255,728	7/1980	Baron	D29/121
D. 341,679	11/1993	Levine	D29/121
D. 341,680	11/1993	Levine	D29/121
D. 385,670	10/1997	Oetting	D29/121
D. 396,330	7/1998	Oetting	D29/121
5,537,689	7/1996	Dancyger	2/24

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 6

FIG. 5

