



US00D417066S

United States Patent [19]

Curley, Jr.

[11] Patent Number: **Des. 417,066**

[45] Date of Patent: **** Nov. 30, 1999**

[54] **LOCKING TABS FOR A SNAP-IN SPIKE**

[76] Inventor: **John J. Curley, Jr.**, P.O. Box 442,
Tyngsboro, Mass. 01879

[**] Term: **14 Years**

[21] Appl. No.: **29/089,499**

[22] Filed: **Jun. 16, 1998**

[51] **LOC (6) Cl.** **02-04**

[52] **U.S. Cl.** **D2/962**

[58] **Field of Search** D2/962; 36/126-130,
36/134, 135, 67 A, 67 B, 67 C, 67 D, 67 R,
59 R, 62, 66, 64, 65

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 26,156	10/1896	Williams	D2/962
D. 351,495	10/1994	Nagai et al.	D2/962
D. 388,949	1/1998	Savoie	D2/962
D. 390,693	2/1998	Curley	D2/962
D. 391,048	2/1998	Savoie	D2/962

3,267,593	8/1966	Turner	36/59 R
3,715,817	2/1973	White	36/67 D
5,321,901	6/1994	Kelly	36/134
5,655,317	8/1997	Grant	36/134

Primary Examiner—Louis S. Zarfes

Assistant Examiner—G. Andoll


[57] **CLAIM**

The ornamental design for the locking tabs for a snap-in spike, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the locking tabs for a snap-in spike showing the new design;
FIG. 2 is a top view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a bottom view thereof;
The broken line showing of the environment in FIGS. 1-5 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1





Fig. 3




Fig. 4

