

US00D417122S

United States Patent [19]

Jagger

[11] Patent Number: Des. 417,122

[45] Date of Patent: ** Nov. 30, 1999

[54] HANDLE FOR UTENSILS

[75] Inventor: Vivienne Drummond Jagger, Dalkeith,

Australia

[73] Assignee: Little People Limited, Hong Kong,

The Hong Kong Special Administrative Region of the People's Republic of

China

[**] Term: 14 Years

[21] Appl. No.: 29/080,828

[22] Filed: **Dec. 17, 1997**

Related U.S. Application Data

[63] Continuation of application No. 08/573,031, Dec. 15, 1995, abandoned.

[52] U.S. Cl. D7/401.2

30/147–150, 322, 324

[56] References Cited

U.S. PATENT DOCUMENTS

D. 15,048	6/1884	Dominick .
D. 49,528	8/1916	Stevens
D. 94,107	12/1934	Baer
D. 142,092	8/1945	Katz
D. 237,705	11/1975	Anderson .
D. 263,272	3/1982	Jagger .
D. 271,739	12/1983	Jagger .
D. 346,543	5/1994	Berti
D. 399,699	10/1998	Stokes
2,295,847	9/1942	Hume .
2,636,266	4/1953	Sweet .
4,035,865	7/1977	McRae
4,481,689	11/1984	Westmoreland 30/169 X
4,563,816	1/1986	Jagger 30/343
4,779,344	10/1988	Panisch 30/326
4,825,552	5/1989	Bendickson
4,830,222	5/1989	Read
5,403,534	4/1995	Kim

FOREIGN PATENT DOCUMENTS

0 468 900 A1 7/1991 European Pat. Off. . 38 02 694 A1 1/1988 Germany .

WO

93/10688A1 6/1993 WIPO.

Primary Examiner—Caron D. Veynar Attorney, Agent, or Firm—Hall, Priddy & Myers

[57] CLAIM

The ornamental design for a handle for utensils, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;

FIG. 2 is a perspective view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;

FIG. 3 is a side view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;

FIG. 4 is a side view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;

FIG. 5 is a top view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;


FIG. 6 is a top view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;


FIG. 7 is a front view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;

FIG. 8 is a front view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;

FIG. 9 is a rear view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;

FIG. 10 is a rear view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;





- FIG. 11 is a bottom view of a first embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG. 12 is a bottom view of a first embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;
- FIG. 13 is a perspective view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG. 14 is a perspective view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;
- FIG. 15 is a side view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG. 16 is a side view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;
- FIG. 17 is a top view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG. 18 is a top view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;

- FIG. 19 is a front view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG 20 is a front view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;
- FIG. 21 is a rear view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member;
- FIG. 22 is a rear view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member;
- FIG. 23 is a bottom view of a second embodiment of a handle according to the present invention shown in an environment of a fork-shaped food contacting member; and,
- FIG. 24 is a bottom view of a second embodiment of a handle according to the present invention shown in an environment of a spoon-shaped food contacting member.

The broken line showings of fork tines or spoon bowls and shank portion in FIGS. 1–24 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 5






FIG. 6

FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11









FIG. 12




F1G. 13



F1G. 14




F/G. 15



F1G. 16

FIG. 17








FIG. 18

F/G. 19


Nov. 30, 1999



F/G. 20



F1G. 21



F/G. 22





FIG. 23






FIG. 24