



US00D417174S

United States Patent [19]
Lee

[11] **Patent Number:** **Des. 417,174**
[45] **Date of Patent:** **** Nov. 30, 1999**

[54] **PNEUMATIC TIRE FOR VEHICLES**

FOREIGN PATENT DOCUMENTS

[75] **Inventor:** **Chang-Ho Lee**, Kwangju, Rep. of Korea

M 94 00 979 8/1994 Germany .

[73] **Assignee:** **Kumho Tire Co., Ltd**, Seoul, Rep. of Korea

OTHER PUBLICATIONS

[**] **Term:** **14 Years**

Bridgestone Potenza S-02 Tire, 1996 Tread Design Guide, p. 11, Feb. 1996.
Nokian NRK Tire, 1996 Tread Design Guide, p. 55, Feb. 1996.

[21] **Appl. No.:** **29/087,033**

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Lowe Hauptman Gopstein Gilman & Berner

[22] **Filed:** **Apr. 24, 1998**

[30] **Foreign Application Priority Data**

[57] **CLAIM**

Oct. 24, 1997 [KR] Rep. of Korea 97-22250

The ornamental design for a pneumatic tire for vehicles, as shown and described.

[51] **LOC (6) Cl.** **12-15**

DESCRIPTION

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** D12/141-143,
D12/146-151; 152/209 RR, 209 NS, 209 AS,
209 AG, 209 BY, 209 LG, 209 RB, 209 DP

FIG. 1 is a front view of a pneumatic tire for vehicles showing my new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire;
FIG. 2 is a rear view;
FIG. 3 is a left side view (the right side view being a mirror image);
FIG. 4 is a fragmentary view of the design shown in FIG. 1.
FIG. 5 is a section view taken along line 5—5 in FIG. 4; and,
FIG. 6 is a perspective view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 340,895 11/1993 Himuro et al. D12/147
D. 370,880 6/1996 Graas D12/151
D. 389,791 1/1998 Himuro D12/147
D. 395,857 7/1998 Yanakage D12/147
5,421,391 6/1995 Himuro 152/209 AS

1 Claim, 4 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5



Fig.6

