



US00D417175S

**United States Patent** [19]  
**Kimishima et al.**

[11] **Patent Number: Des. 417,175**

[45] **Date of Patent: \*\* Nov. 30, 1999**

[54] **AUTOMOBILE TIRE**

D. 387,709 12/1997 Lo ..... D12/147

[75] Inventors: **Sonoko Kimishima**, Kobe; **Hiroaki Kajita**, Nisshin, both of Japan

**OTHER PUBLICATIONS**

Japanese Design Journal, Reg. No. 750106 Similar No. 2), Jul. 6, 1998.

[73] Assignee: **Sumitomo Rubber Industries Ltd.**, Kobe, Japan

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Pillsbury Madison & Sutro LLP

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/093,230**

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

[22] Filed: **Sep. 4, 1998**

[30] **Foreign Application Priority Data**

**DESCRIPTION**

Mar. 5, 1998 [JP] Japan ..... 10-6390

FIG. 1 is a front perspective view of an automobile tire showing our new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a left side view thereof; and, FIG. 6 is an enlarged fragmentary front elevational view thereof.

[51] **LOC (6) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/147**

[58] **Field of Search** ..... D12/138-151;  
152/209.1, 209.8, 209.9, 209.11, 209.16,  
209.18, 209.28, 900, 901, 902, 903


[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 384,618 10/1997 Guspodin et al. .... D12/147


D. 386,727 11/1997 Sugimoto ..... D12/147

**1 Claim, 2 Drawing Sheets**







*FIG. 1*



*FIG. 2*




*FIG. 3*






*FIG. 4*



*FIG. 5*



*FIG. 6*

