



US00D417225S

United States Patent [19]
Kimura et al.

[11] Patent Number: Des. 417,225
[45] Date of Patent: ** Nov. 30, 1999

[54] COMPRESSOR PISTON

[75] Inventors: Kazuya Kimura; Kenji Takenaka;
Hiroaki Kayukawa; Masaki Ota, all
of Kariya, Japan

[73] Assignee: Kabushiki Kaisha Toyoda Jidoshokki
Seisakusho, Aichi-ken, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/063,687

[22] Filed: Dec. 12, 1996

[30] Foreign Application Priority Data

Jun. 13, 1996	[JP]	Japan	8-017824
Jul. 2, 1996	[JP]	Japan	8-019791
Jul. 2, 1996	[JP]	Japan	8-019792
Jul. 2, 1996	[JP]	Japan	8-019793
Jul. 2, 1996	[JP]	Japan	8-019794
Jul. 2, 1996	[JP]	Japan	8-019795
Jul. 2, 1996	[JP]	Japan	8-019796
Jul. 2, 1996	[JP]	Japan	8-019797
Jul. 2, 1996	[JP]	Japan	8-019798
Jul. 2, 1996	[JP]	Japan	8-019799

[51] LOC (6) Cl. 15-01

[52] U.S. Cl. D15/5

[58] Field of Search D15/1-5, 7-9;
91/55; 92/12.2, 71; 417/222.1, 269, 266,
273

[56] References Cited

U.S. PATENT DOCUMENTS

D. 373,773	9/1996	Hund, Jr.	D15/5
D. 377,493	1/1997	Oda et al.	D15/5
5,461,967	10/1995	Burkett et al.	92/71
5,490,767	2/1996	Kanou et al.	417/269

FOREIGN PATENT DOCUMENTS

449676	4/1992	Japan
4109481	9/1992	Japan
4113791	10/1992	Japan
547441	6/1993	Japan
666253	3/1994	Japan
6336977	12/1994	Japan

74877	1/1995	Japan
7189897	7/1995	Japan
7189898	7/1995	Japan
7189900	7/1995	Japan
978580	4/1997	Japan

Primary Examiner—Nanda Bondade
Attorney, Agent, or Firm—Morgan & Finnegan, L.L.P.

[57] CLAIM

The ornamental design for a compressor piston, as shown
and described.

DESCRIPTION

FIG. 1 is a front elevational view of a compressor piston;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof, the left side
elevational view being a mirror image of FIG. 5; and
FIG. 6 is a perspective view thereof.
FIG. 7 is a front elevational view of a second embodiment
of the compressor piston;
FIG. 8 is a rear elevational view thereof;
FIG. 9 is a top plan view thereof;
FIG. 10 is a bottom plan view thereof;
FIG. 11 is a right side elevational view thereof, the left side
elevational view being a mirror image of FIG. 11; and
FIG. 12 is a perspective view thereof.
FIG. 13 is a front elevational view of a third embodiment of
the compressor piston;
FIG. 14 is a rear elevational view thereof;
FIG. 15 is a top plan view thereof;
FIG. 16 is a bottom plan view thereof;
FIG. 17 is a right side elevational view thereof, the left side
elevational view being a mirror image of FIG. 17; and
FIG. 18 is a perspective view thereof.
FIG. 19 is a front elevational view of a fourth embodiment
of the compressor piston;
FIG. 20 is a rear elevational view thereof;
FIG. 21 is a top plan view thereof;
FIG. 22 is a bottom plan view thereof;







FIG. 23 is a right side elevational view thereof, the left side elevational view being a mirror image of FIG. 23; and FIG. 24 is a perspective view thereof; and, FIG. 25 is a side view of the compressor piston of the embodiment of FIG. 1, wherein the broken lines show a

fragmentary portion of a compressor for illustrative purposes only and which forms no part of the claimed invention.

1 Claim, 9 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 22




FIG. 21




FIG. 19




FIG. 20




FIG. 23




FIG. 24




FIG. 25

