



US00D417388S

United States Patent [19]

Kawahara

[11] **Patent Number: Des. 417,388**

[45] **Date of Patent: ** Dec. 7, 1999**

[54] **CORD LOCK**

[75] Inventor: **Masahiko Kawahara**, Osaka, Japan

[73] Assignee: **Morito Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/087,987**

[22] Filed: **May 13, 1998**

[51] **LOC (6) Cl. 08-08**

[52] **U.S. Cl. D8/383**

[58] **Field of Search** D8/383; D11/212;
24/115 G, 115 M, 136 R, 115 R; D2/978

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 251,478 4/1979 Boden .
- D. 299,310 1/1989 Fildan .
- D. 310,166 8/1990 Fildan .
- D. 343,570 1/1994 Meier .

D. 368,852 4/1996 Ikeda .

D. 399,045 10/1998 Liston D8/383 X

Primary Examiner—Holly Baynham

Attorney, Agent, or Firm—Bacon & Thomas, PLLC


[57] **CLAIM**

The ornamental design for a cord lock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the cord lock showing my new design, with the plunger thereof fully extended; FIG. 2 is an elevational view of one side of the cord lock, the other side being a mirror image thereof; FIG. 3 is a top plan view of the cord lock; FIG. 4 is a bottom view thereof; FIG. 5 is a rear elevational view thereof; and FIG. 6 is a front elevational view thereof; and, FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets






FIG. 3




FIG. 1




FIG. 2




FIG. 5




FIG. 4




FIG. 6




FIG. 7