



US00D417389S

United States Patent [19] Rhoads

[11] **Patent Number: Des. 417,389**

[45] **Date of Patent: ** Dec. 7, 1999**

[54] **TACKING STRIP**

[75] Inventor: **Scott D. Rhoads**, Goodland, Ind.

[73] Assignee: **Ernie Anderson**, Remington, Ind.

[**] Term: **14 Years**

[21] Appl. No.: **29/084,172**

[22] Filed: **Feb. 26, 1998**

[51] **LOC (6) Cl. 08-08**

[52] **U.S. Cl. D8/389**

[58] **Field of Search D8/389; 411/466;
52/273; 24/36**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 231,431	4/1974	Sutton et al.	D8/389
272,685	2/1883	Hart	24/36
3,927,443	12/1975	Brumlik	411/466 X
5,098,243	3/1992	Buck	411/466

Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—Woodard, Emhardt, Naughton,
Moriarty & McNett Patent and Trademark Attorneys

[57] **CLAIM**

The ornamental design for a tacking strip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of one end of a tacking strip, showing a typical embodiment of my new design.

FIG. 2 is a top plan view of the tacking strip shown broken away to indicate indeterminate length.

FIG. 3 is a front elevation of the tacking strip.


FIG. 4 is a rear elevation of the tacking strip.

FIG. 5 is a bottom plan view of the tacking strip.

FIG. 6 is a end elevation of the tacking strip taken from the right side of FIG. 3;

FIG. 7 is an end view of the tacking strip taken from the left side of FIG. 2.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 3



Fig. 6




Fig. 7




Fig. 2




Fig. 4




Fig. 5