



US00D417418S

United States Patent [19]
Lo

[11] Patent Number: Des. 417,418
[45] Date of Patent: ** Dec. 7, 1999

[54] TIRE
[76] Inventor: Tsai-Jen Lo, No. 215, Meei-Kong Road, Ta-Suen, Chang-Hwa, Taiwan
[**] Term: 14 Years
[21] Appl. No.: 29/091,111
[22] Filed: Jul. 23, 1998
[51] LOC (6) Cl. 12-15
[52] U.S. Cl. D12/136
[58] Field of Search D12/141-143, D12/146-151; 152/209.1, 209.8, 209.9, 209.11, 209.16, 209.18, 209.28, 900, 901, 902, 903

[56] References Cited

U.S. PATENT DOCUMENTS			
D. 291,675	9/1987	Mader	D12/136
D. 313,959	1/1991	Kobayashi et al.	D12/145
D. 315,703	3/1991	Aoki	D12/145
D. 336,873	6/1993	Suzuki	D12/147
D. 341,347	11/1993	Kobayashi	D12/147
D. 344,256	2/1994	Suzuki	D12/151
D. 381,298	7/1997	Haas	D12/143

D. 390,815 2/1998 Ishikawa D12/136

OTHER PUBLICATIONS

Dunlop K455 Sport Radial Front Tire, 1996 Tread Design Guide, p. 213, Feb. 1996.
Michelin Tarmac Tire, 1996 Tread Design Guide, p. 220, Feb. 1996.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—Rosenberg, Klein & Lee


[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a front-right-top perspective view of a tire showing my new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire; FIG. 2 is a front elevational view thereof, the opposite side being a mirror image; FIG. 3 is a right elevational view thereof, the opposite side being a mirror image; and, FIG. 4 is an enlarged fragmentary developed plan view thereof showing the tread pattern in greater detail.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4