



US00D417642S

United States Patent [19]

Ashley, Sr.

[11] Patent Number: Des. 417,642
[45] Date of Patent: ** Dec. 14, 1999

[54] BRAKE SQUEAK REDUCTION PAD

[76] Inventor: Hubert C Ashley, Sr., 901 N.
Breckenridge, Ennis, Tex. 75119

[**] Term: 14 Years

[21] Appl. No.: 29/070,473

[22] Filed: May 8, 1997

[51] LOC (6) Cl. 12-16

[52] U.S. Cl. D12/180

[58] Field of Search D12/180; 188/73.1,
188/250 B

[56] References Cited

U.S. PATENT DOCUMENTS

D. 338,648 8/1993 Steinke et al. D12/180
D. 357,444 4/1995 Steinke et al. D12/180
4,926,978 5/1990 Shibata et al. 188/73.1

Primary Examiner—Melody N. Brown

[57] CLAIM

The ornamental design for a brake squeak reduction pad, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of the brake squeak reduction pad of the present invention;

FIG. 2 is a back elevational view of the brake squeak reduction pad of FIG. 1;

FIG. 3 is a left side elevational view of the brake squeak reduction pad of FIG. 1;


FIG. 4 is a right side elevational view of the brake squeak reduction pad of FIG. 1;

FIG. 5 is a top plan view of the brake squeak reduction pad of FIG. 1;

FIG. 6 is a bottom plan view of the brake squeak reduction pad of FIG. 1; and,

FIG. 7 is a perspective view of the brake squeak reduction pad of FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 2




Fig. 1




Fig. 5




Fig. 6




Fig. 3




Fig. 4




Fig. 7