



US00D417656S

United States Patent [19]
Billhimer

[11] **Patent Number: Des. 417,656**

[45] **Date of Patent: ** Dec. 14, 1999**

[54] **SURFACE MOUNT ELECTRICAL RECEPTACLE**

[76] Inventor: **Jeffrey S Billhimer**, 125 Shannon Ave., West Carrollton, Ohio 45449

[**] Term: **14 Years**

[21] Appl. No.: **29/070,456**

[22] Filed: **May 8, 1997**

[51] **LOC (6) Cl.** **13-03**

[52] **U.S. Cl.** **D13/156; D13/177**

[58] **Field of Search** D13/152, 154, D13/156, 177, 199; 174/66, 67; 220/3.2, 3.3, 3.5, 3.8, 324, 326

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 214,380	6/1969	Moodie	D13/177
D. 342,235	12/1993	Shotey	D13/156
D. 359,271	6/1995	Reinholt	D13/156
3,334,770	8/1967	Stanback	220/326
4,740,655	4/1988	Ford	220/324 X
5,362,924	11/1994	Correnti	174/67
5,387,761	2/1995	Simonis	174/67

Primary Examiner—James Gandy
Assistant Examiner—Cathron B. Matta

[57] **CLAIM**

The ornamental design for a surface mount electrical receptacle, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of the surface mount electrical receptacle of the present invention;

FIG. 2 is a back plan view of the surface mount electrical receptacle of FIG. 1, with the rectangular member shown rotated 180 degrees and moved to the opposite side elevation;

FIG. 3 is a left side plan view of the surface mount electrical receptacle of FIG. 2, the right side plan view being substantially a mirror image thereof;

FIG. 4 is a top plan view of the surface mount electrical receptacle of FIG. 1;

FIG. 5 is a bottom plan view of the surface mount electrical receptacle of FIG. 2; and,

FIG. 6 is a back plan view of the assembled surface mount electrical receptacle of FIG. 2.

The broken lines shown in FIGS. 1, 2, 3, 5, and 6 are frangible lines.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

