



US00D417692S

United States Patent [19]

Mizusugi et al.

[11] Patent Number: Des. 417,692

[45] Date of Patent: ** Dec. 14, 1999

[54] DISPLAY UNIT FOR A CASH REGISTER

[75] Inventors: Kanji Mizusugi, Mie-ken; Kensho Tsuji, Nara-ken, both of Japan

[73] Assignee: Sharp Kabushiki Kaisha, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/085,260

[22] Filed: Mar. 19, 1998

[30] Foreign Application Priority Data

Sep. 19, 1997 [JP] Japan 9-68361

[51] LOC (6) Cl. 18-01

[52] U.S. Cl. D18/4; D14/112

[58] Field of Search D18/3, 4; D14/100, D14/102, 105, 106, 107, 113, 114, 115; 340/700, 706, 711, 712; 341/22, 23; 358/248, 249, 254; 248/122, 125, 127, 133

[56] References Cited

U.S. PATENT DOCUMENTS

D. 305,647 1/1990 Kato D18/4 X

D. 333,147 2/1993 Miyake et al. D18/4
D. 361,757 8/1995 Mizusugi et al. D18/4 X

Primary Examiner—Caron D. Veynar

Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a “display unit for a cash register,” as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a display unit for a cash register according to our design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a second embodiment of the display unit for cash register similar to FIGS. 1–7 except for the addition of an extension pole; and,

FIG. 9 is a third embodiment of the display unit for cash register similar to FIGS. 1–7 with no extension pole.

1 Claim, 7 Drawing Sheets







FIG. 1







FIG. 2

FIG. 3








FIG. 4






FIG. 7




FIG. 8

FIG. 9

