



US00D417923S

United States Patent [19] Chiu

[11] **Patent Number: Des. 417,923**

[45] **Date of Patent: ** Dec. 21, 1999**

[54] **SENSOR CONTROLLED LIGHT**

[75] Inventor: **Terance Chi Ping Chiu**, Hong Kong,
The Hong Kong Special Administrative
Region of the People's Republic of
China

[73] Assignee: **Forexim (H.K.) Limited**, Kowloon,
The Hong Kong Special Administrative
Region of the People's Republic of
China

[**] Term: **14 Years**

[21] Appl. No.: **29/075,764**

[22] Filed: **Aug. 22, 1997**

[51] **LOC (6) Cl.** **26-05**

[52] **U.S. Cl.** **D26/51; D10/106; D26/106**

[58] **Field of Search** **D26/24, 93, 104,
D26/106; D10/104, 106, 51; 362/410, 394,
802, 276, 295, 226; 340/514; 315/159**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 242,820 12/1976 Parrella D26/104

D. 269,072 5/1983 Sweet et al. D24/24 X
D. 370,863 6/1996 Carmi D10/106
D. 381,283 7/1997 Soreo D10/106
5,028,911 7/1991 Wanat et al. 362/394 X
5,336,977 8/1994 Li et al. 362/276 X

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Ladas & Parry


[57] **CLAIM**

I claim the ornamental design for sensor controlled light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a sensor controlled light showing my new design;
FIG. 2 is a left-side elevational view thereof;
FIG. 3 is a right-side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a front/right-side perspective view thereof.
The sensor controlled light is preferably battery powered with switch-selected manual and automatic modes of operation. The automatic mode uses a passive infrared sensor.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7